

Index

Note: * indicates the term also appears in the Glossary (Appendix I). Page numbers in bold indicate page spans for entire chapters. Page numbers in italics denote tables, figures and boxed material.

A regional database, which lists all references and can be searched by region and by topic, is on the CD-ROM included in this volume.

A

Abatement, 757-758

Abrupt climate change, 35, 374, 375, 377-378, 596

Access to technology/resources, 441, 791, 813, 816, 826-827

Acclimation/ Acclimatisation*, 246-248, 557

Acidification. *See* Ocean acidification

Active layer*, 88, 663

Adaptability. *See* Adaptive capacity

Adaptation*, 65-76, 81-82, 117, **717-743**, 748, 781

Adaptation Policy Framework (APF), 732-733

anticipatory, 723, 798

autonomous (*See* Autonomous adaptation)

barriers to, 69, 525-526, 638, 719, 733-737, 798, 815

context, 378

costs and benefits (*See* Adaptation costs and benefits)

deficit, 835

definition, 27, 750

differences from mitigation, 750

enhancement, opportunities and constraints, 731-737

examples of, 65, 722

factors in, 378, 383-384, 719, 720

implementation, 53, 65, 766-770, 815-816

indigenous knowledge in, 456-457, 832, 833

inter-relationship with mitigation (*See* Adaptation and mitigation inter-relationships)

international and national actions, 53, 416-417, 731-733

introduction, 719-720, 748-750

key issues, 383-384

limits to, 69, 199, 417, 492, 719, 733-737

mainstreaming, 55, 65, 471, 513, 637-638, 639, 732, 749, 768, 818, 832-836

mitigation and (*See* Adaptation and mitigation inter-relationships)

multiple stresses and, 719, 729, 816-819

National Adaptation Programmes (Plans) of Action (NAPAs), 69, 719, 731-732

opportunities, co-benefits and challenges for, 832-836

opposing views on, 786

planned (*See* Planned adaptation)

policy window hypothesis, 733

portfolio, 71-72, 76, 747, 749, 760-763, 813, 827

potential, 69, 782, 786, 798, 804

practices/examples, 65, 117, 719, 720-727, 821

process/processes, 513, 720-721

reactive vs. proactive, 452, 719, 721

regional, 111-112, 722, 757-760

resilience and, 721

response capacity, 763-766, 767

response strategies, 69, 70, 781-782, 797-804

scales of, 747, 749, 753-754, 767-769

scenarios, 156-158, 719, 724

substitutability for mitigation, 749, 753-754, 766-767

sustainable development and, 813, 814-816

synergies, 72, 747, 754-756, 762-763, 813, 835

technology and, 727-728, 734

thresholds, 733-734

wealth, resources and development and, 43, 69, 276, 279, 620, 719, 755, 764-766, 767, 791, 814

See also Adaptation assessment; Adaptive capacity; *specific systems and regions*

Adaptation and mitigation inter-relationships, 70-73, **745-777**, 827-832

climate policy and institutions, 766-769

complementarity, 749, 750

cost-benefit analyses, 747, 754, 756, 757, 800

cost-effectiveness analyses, 755, 800

decision processes, stakeholder objectives and scale, 72, 747, 752-754

definitions, 749

differences, similarities and complementarities, 750

implementation, 766-770

inter-relationships and damages avoided, 747, 754-760, 783

inter-relationships, types of, 747, 750, 761, 762

introduction, 748-750

mainstreaming, 749, 768

overview, 748, 761

portfolio, 71-72, 76, 747, 749, 760-763, 813, 827

- regions and sectors, 757-760
- response capacity and development pathways, 747, 763-766, 767, 771
- scales, 747, 749, 753-754, 767-769
- substitutability, 749, 753-754, 766-767
- summary of knowledge from TAR, 751-752
- sustainable development and, 747, 751, 765-766
- synergies, 72, 76, 747, 749, 754-756, 762, 813, 827-832, 837
- Tolerable Windows Approach (TWA), 754-755, 802
- trade-offs, 72, 747, 749, 751, 754-756, 762
- uncertainties, unknowns and priorities for research, 770-771
- Adaptation assessment***, 137-138, **717-743**
 - assessment of adaptive capacity, 727-731
 - as bottom-up approach, 136, 749
 - characteristics summarised, 137
 - concepts and methods, 719-720
 - costs and benefits, 719, 724-727, 734, 800
 - current adaptation practices, 720-727
 - enhancing adaptation, 731-737
 - introduction, 719-720
 - See also* CCIAV assessment
- Adaptation costs and benefits***, 65, 719, 724-727, 734-735, 756-757, 781-782, 798, 836
 - in Africa, 435, 452, 453-454, 453
 - in coastal systems, 40-41, 317, 336-339, 342, 343, 725
 - comprehensive estimates, lack of, 69
 - cost-benefit analyses, 747, 754, 756, 757, 800
 - cost-effectiveness analyses, 755, 800
 - damages avoided, 77-78, 295, 754-760, 798-803
 - weighing, 72, 782
 - See also* Trade-offs
- Adaptive capacity***, 69, 72-73, 382-383, 727-731, 786
 - in Africa, 48-49, 64, 69, 435, 454, 459
 - in Asia, 492
 - assessment of, 727-731
 - in Australia/New Zealand region, 50
 - changes over time, 729-731
 - in coastal systems, 317, 318-322, 324-336, 344, 786
 - determinants of, 791, 814
 - development and, 69, 317, 336, 364, 755
 - differences across human societies, 383
 - differential, 719, 728-729, 730
 - elements of, 727-728
 - in Europe, 547
 - exceedence of, 781
 - in food, fibre and forest products, 275, 279-280
 - in human health, 43, 393, 406
 - in India, 71
 - in Latin America, 584, 605
 - mitigation and, 750, 827-832
 - in mountain ecosystems, 52
 - multiple stresses and, 719, 729
 - perceptions of, 735
 - in polar regions, 658-660, 661
 - of poor communities, 359, 492, 720
 - in small islands, 706-709
 - of social systems, 782, 791, 798
 - sustainable development, linkages with, 76, 817-819, 837
 - in water sector, 199
 - See also* Capacity building; Coping ranges; Response capacity; *specific systems and regions*
- Advances in knowledge**, 76-78
- Aedes aegypti* (now *Stegomyia aegypti*), 403-404, 524
- Aeroallergens**, 402-403
- Aerosols***
 - from biomass burning, 53, 583, 590
 - direct and indirect effects, 84
 - human health and, 402, 590
- Afforestation***, 599, 750, 758, 759, 761
- Africa**, 48-49, 59, **433-467**
 - access to resources/technology, 441
 - adaptation, 416, 452-454, 459, 722, 726, 767-769
 - adaptation limits, 734
 - adaptive capacity, 48-49, 64, 435, 454, 459
 - agriculture, 48, 297, 435, 439, 441, 442, 445, 447-448, 451, 452, 459
 - assumptions about future trends, 443-444
 - biodiversity, 48, 223, 242, 435, 439, 449, 449
 - case studies, 454-457
 - climate and weather, 436-437, 458
 - climate variability, 435, 436-437, 439, 448, 454
 - coastal zones, 40, 439-440, 448, 449, 450, 451
 - current sensitivity/vulnerability, 435, 436-443, 451
 - disasters and conflicts, 442-443, 447, 451, 459
 - droughts, 237, 278, 287, 437, 734
 - economies, 440-441, 454
 - ecosystems, 48, 213-214, 243-244, 435, 439, 442, 449, 451, 459
 - energy, 442, 446, 459, 767-769
 - extreme weather events, 377, 437, 444
 - fires, 435, 442
 - fisheries, 281, 435, 448, 449
 - floods, 377, 398, 414, 435, 437, 447
 - food security/insecurity, 38, 48, 275, 280, 297, 300, 399, 435, 440, 454-456, 719
 - forests, 299, 435, 439, 442
 - future impacts and vulnerabilities, 38, 48-49, 59, 280, 444-450, 451, 788, 791, 825, 829
 - globalisation, trade and market reforms, 440-441
 - governance and institutions, 441
 - HIV/AIDS in, 69, 399, 406, 440, 441, 442, 448
 - hotspots/risk areas, 438
 - human health, 48, 108-109, 399-400, 416, 435, 436, 437-439, 441, 442, 446-447, 459
 - human population, 441
 - human settlements, industry and infrastructure, 439-440, 450
 - hydropower generation, 768-769
 - indigenous knowledge systems, 456-457
 - infrastructure, 439-440, 441, 450, 453
 - introduction, 435-436
 - Kilimanjaro, Mt., 48, 439, 440, 449
 - livestock, 278, 287, 447, 448
 - malaria, 48, 108-109, 400, 404, 406, 408, 409, 437-439,

- 446
 market impacts, 791
 migration, 437, 441, 452
 multiple stresses, 48, 69, 435, 436, 440, 442, 454, 457
 New Partnership for Africa's Development (NEPAD), 767
 observed changes, 30, 91, 108-109, *115-116*
 pastoralist coping strategies, 293, 457
 population and environment interactions, 441
 precipitation, *151*, 436
 resilience in, 48-49, 452, 453
 rivers/river basins, 445, 446, 767-769
 Sahel region, 216, 224, 237, 436, 437, 444
 savannas, 225, 226
 sea-level rise, 346, 435, 447, 450
 smallholder farmers, 731
 socio-economic scenarios, 297, 444
 sustainable development, 457
 temperature, *150*, 436
 tourism, 435, 439, 449, 450, 459
 uncertainties and research priorities, 457-460
 ungulates, 226
 urban indicators, 363
 vegetation cover, 436-437
 vulnerability/risk, 40, 48-49, 64, 444-450, *451*, 459, 788, 791
 water resources, 48, 91, 284, 370, 377, 435, 437, 441-442, 444-446, *451*, 458-459
 water stress, 48, 435, 437, 444, *445*, *451*
 West African Monetary Union (WAMU), 767
African horse sickness (AHS), 555
African Succulent Karoo, 223, 243, 449, 792
Aggregate impacts*, 64-65, 75, 784, 787, 790, 796-797, 813, 821-825
 estimates of, history and present state of, 64-65, 813, 821-824
 larger-scale aggregation, 82, 112-116
 limitations of, 43, 65, 813
 spatially-explicit methods, 824-825, 836
Agriculture
 adaptation, 38-39, 117, 294-296, 300, 721, 725-726, 760
 adaptation costs, 725-726, 734
 adaptation options, 70
 in Africa, 48, 297, 435, 439, 441, 442, *445*, 447-448, *451*, 452, 459
 in Asia, 49, 471, 472, 475, 479-483
 in Australia/New Zealand region, 50, 509, 516, 518-520, 525, 528, 529
 biotechnology and, 296, 452, 555-556
 in coastal systems, 333
 costs, 296-297
 El Niño Southern Oscillation (ENSO) effects on, 277
 in Europe, 52, 543, 545-546, 548-549, 554-556, 558, 560-561, 565
 extreme events and, 277, 277, 278
 global area in cropland, 816
 global production, temperature increase and, 790
 growing season (*See* Growing season)
 importance of, 276
 in Latin America, 54, 281, 584, 586, 591, 592, 597, 598, 601-602
 multiple stresses, 279
 in North America, 620, 623-624, 627, 631, 636
 observed changes, 81-82, 104-106
 phenology, 31, 81, *105*
 in polar regions, 668
 projected changes, 38
 in small islands, 58, 689, 698-700
 soil erosion and, 190
 subsistence and smallholder, 39, 275, 279, 281-282, 293-294, *413*, 435, 490, 731
 supply and demand in, 280-281
 trade and, 275, 276, 284, 297, 300
 vulnerability/risk, 31, 82, 787, 790, 791, 802
 wastewater irrigation of crops, 189
 water balance and, 280
 See also Crop yields; Crops; Food, fibre and forest products; Livestock; Soil; *specific crops*
AIR-CLIM Project, 139
Air pollution, 84
 direct and indirect effects, 84
 effects on plants, 276, 278
 in Europe, 557-558
 from forest fires, 402
 human health and, 401-402, 408-412
 in North America, 632
Air quality, 84, 372, 394
 in Asia, 487
 disease and, 401-402, 408-412, *413*
Albedo*, 84, 231
 global effect of regional changes in, 661
 increase due to planned adaptation, 381
 in polar regions, 655, 656, 661
Algal blooms*, 97, 188, 277, 449, 487, 551
 algal community changes, 98
 dissolved inorganic carbon and, 329-330
 harmful (HAB), 96, 234, 328, 400, 551, 556
 red tides, 485
 See also Phytoplankton; Zooplankton
Alien species. *See* Invasive species and invasive alien species (IAS)
Allergens, 31, 82, 109, 393, 402-403, 558
Alpine* ecosystems, 50, 52, 99, 232-233
 adaptation limits/limitations, 52, 543, 559
 See also Mountain regions
Alps. *See* Europe, European Alps
Amazon region
 drought in, 400
 fire in, 588
 forest replacement by savanna, 54, 583
 forests, 54, 218, 241, 243, 281, 594-595, 596
 Large Scale Biosphere-Atmosphere Experiment, 604
AMICA project, 769
Amphibians
 in Europe, 52, 543, 554, 565
 extinctions of, 103, 230, 233, 586, 590
 in Latin America, 586, 590

- in North America, 622, 630
- phenology, 100
- Analogues**, 32, 145, 146, 382
- Andes region**, 28, 184, 187, 585
- Annular modes**, 794
- Anopheles*, 416
- Anopheles arabiensis*, 108, 439
- Anopheles gambiae*, 439
- Antarctic Oscillation (AAO)**, 794
- Antarctic region**. *See* Polar regions. *See also* Small islands
- Anthropogenic* climate change**, 26, 28, 81, 781
 - larger-scale attribution studies, 112-116
 - linking climate-change causes with observed effects, 29
 - See also* Climate change; Dangerous anthropogenic interference; Detection and attribution; Vulnerability assessment
- AOGCM**. *See* Climate models
- Aquaculture***, 276-277, 281, 291-292
 - in Asia, 49, 281, 482
 - in Europe, 555-556, 561
 - in Latin America, 593
- Aquatic ecosystems**. *See* Freshwater resources and management; Marine ecosystems
- Aquifers***
 - coastal, 331
 - in North America, 629
 - observed changes, 90
 - salinisation of, 179, 186
- Aragonite***, 38, 94, 213, 234, 235, 236
- Arboviruses***, 555
- Arctic Ocean**, 656, 662, 692
 - See also* Polar regions
- Arctic Oscillation (AO)**, 95, 794
- Arctic region**. *See* Polar regions
- Arid regions***
 - afforestation in, 758
 - in Africa, 435, 439, 442
 - in Asia, 478
 - freshwater resources in, 36, 175, 176, 193-194, 331
 - vulnerability/risk in, 788
 - See also* Desertification; Deserts
- Arsenic in groundwater**, 179, 587
- Artificial experiments**, 144-146
- Asia**, 49-50, 59-60, **469-506**
 - adaptation, 471, 490-493, 722
 - adaptive strategies, 472, 490
 - agriculture, 49, 471, 472, 475, 479-483
 - aquaculture, 49, 281, 482
 - assumptions about future trends, 478-479
 - biodiversity, 49, 471, 478, 485-487, 491
 - case studies, 493-494
 - climate, 471, 472-473, 475, 478-479, 480
 - climate variability, 471, 472-478, 475, 479
 - coastal areas, 49, 92, 472, 477, 479, 484, 491
 - coral reefs, 471, 472, 477, 485, 486
 - crop yields, 49, 106, 297, 471, 479-481
 - current sensitivity/vulnerability, 472-478
 - cyclones/typhoons, 473, 476, 479, 489
 - deltas/megadeltas, 279, 327, 471, 481, 484-485, 493, 496
 - dengue fever, 478, 487
 - development, 471, 472, 488-489, 494-495
 - droughts, 49, 473, 476
 - ecosystems, natural, 49, 471, 477, 485-487, 491
 - El Niño/ENSO in, 473, 475, 477
 - energy, 111, 488-489
 - extreme weather events, 473, 476, 479, 488, 489
 - financial aspects/insurance, 489
 - fires, 471, 472, 477-478, 486
 - fisheries, 49, 279, 281, 471, 482, 489
 - floods, 49, 398, 414, 471, 472, 476, 489
 - food security, 297, 399, 471, 479-481, 482-483
 - forests/forestry, 471, 472, 477-478, 481, 485-486, 488
 - future impacts and vulnerabilities, 49-50, 59-60, 479-489, 788, 791, 825, 829
 - glaciers, 49, 471, 472, 477, 481, 483-484, 487, 493, 494
 - grasslands, rangelands and endangered species, 483, 486
 - heatwaves, 396-397, 476, 478, 492, 733
 - hotspots, 481
 - human dimensions, 487-489, 491-492
 - human health, 50, 395, 408, 472, 478, 481, 487, 491, 791
 - human population, 49, 477, 479, 484, 488, 491
 - human settlements/megacities, 472, 485, 491, 493
 - hydrology, 471-472, 477, 483-484, 490-491
 - industry, 488-489
 - infrastructure, 471, 488-489, 492
 - introduction, 471-472
 - livestock, 287, 482, 483
 - malaria, 408, 478, 487
 - migration, 488, 491-492
 - multiple stresses, 50, 471, 492
 - natural resources, 474
 - observed changes, 30, 49, 92, 106, 115-116, 471, 472-478, 475-477, 479
 - permafrost, 49, 472, 477, 486-487
 - poverty and illiteracy, 489, 492, 494
 - precipitation, 151, 472, 476, 478-479, 480, 481
 - regional characteristics, 472
 - regions/countries included, 472, 473, 474
 - sea-level rise, 49, 346, 471, 472, 479, 481, 484-485, 492
 - socio-economics, 474, 479, 487-489
 - sustainable development, 488, 494-495
 - temperature, 150, 478, 479, 480, 481
 - tourism, 489, 492
 - uncertainties and research priorities, 495-497
 - urban indicators, 363
 - urbanisation, 488-489, 491, 494-495
 - vulnerability/risk, 64, 479-489, 788, 791
 - water resources, 49, 471, 471-472, 477, 481, 483-484, 490-491, 791
 - water stress, 471, 472, 484
 - See also specific countries*
- Assessment**
 - of adaptation (*See* Adaptation assessment)
 - of observed changes and responses (*See* Observed changes and responses)
 - participatory processes in, 813, 834

of response strategies, 797-804
 of vulnerabilities (*See* Vulnerability assessment)
See also CCAV assessment; Impact assessment;
 Integrated assessment

Assessment methods, 29, 31-35, **133-171**

approaches, 136-141
 conclusions and future directions, 161-162
 coping ranges, 142-143
 data needs for, 144
 developments in, 141-144
 downscaling, 135
 future characterisations, 32-35, 135, 144-161
 risk management, 135
 stakeholder involvement, 31-32, 135, 141-142
 thresholds and risk criteria, 141
 top-down vs. bottom-up approaches, 136, 748-749
See also Adaptation assessment; CCAV assessment

Asthma, 523, 632, 689, 701

Atlantic cod, 670

Atmosphere*

carbon content, 214
 composition, future scenarios, 152-153
 projected changes, 662
See also specific gases and components

Atolls. *See* Coral atolls

Attribution. *See* Detection and attribution

Australia/New Zealand region, 50-51, 60, **507-540**

adaptation, 50, 509, 513-514, 524-526, 528, 530-531
 adaptive capacity, 50
 agriculture, 50, 509, 516, 518-520, 525, 528, 529
 assumptions about future trends, 514-516
 Bay of Plenty, North Island, New Zealand, 509, 528, 530
 beef industry, 283
 biodiversity, 50, 242-245, 509, 517-518, 518, 528
 case studies, 526-528
 climate scenarios, 50, 514-516
 coasts, 50, 509, 520-521, 525, 525, 528, 529
 costs of extreme weather events, 50, 511, 513
 current sensitivity/vulnerability, 510-514
 droughts, 50, 509, 510-511, 511, 515, 519
 El Niño Southern Oscillation (ENSO), 510, 521
 energy, 511, 516, 523-524, 529
 extreme weather events, 50, 509, 511, 513
 fires, 50, 509, 511, 517, 792
 fisheries, 512, 521
 flood and waste water management, 517
 food security, 528-529, 529
 forestry, 50, 509, 520, 525, 529
 freshwater resources, 516-517
 future impacts and vulnerabilities, 50-51, 60, 242-245, 516-524, 528, 529, 829
 Great Barrier Reef, 50, 320, 509, 512, 518, 527
 heatwaves, 50, 411, 509, 511, 524
 horticulture, 519
 hotspots, 50, 51, 509, 529, 530
 human health, 395, 408, 409, 524, 525, 529
 human population, 509, 510, 516, 522
 human systems, 50, 509, 511

immigration/migration, 522, 531
 indigenous people, 50, 522-523, 524
 infrastructure, 50, 509, 525, 529
 introduction, 510
 invasive/alien species, 512, 518, 520
 land degradation, 518-519, 520
 land management, 751-752
 migration corridors, 525
 natural systems/ecosystems, 50, 509, 511, 512, 517-518, 525, 528, 529, 530
 observed changes, 30, 50, 115-116, 509, 510-512, 512
 pastoral/rangeland farming, 513, 519-520
 phenology, 100
 precipitation, 50, 151, 515
 saltwater intrusion, 512, 517
 savannas, 225, 226
 sea-level rise, 50, 346, 509, 510, 512, 515-516, 520-521
 settlements, industry and societies, 521-522
 Sunshine Coast, 528
 sustainable development, 528-529, 529
 temperature, 50, 150, 509, 510-511, 514-515
 tick infestation, 520
 tourism and recreation, 523, 527, 529
 uncertainties and research priorities, 529-531
 vulnerability/risk, 50-51, 242-245, 509, 513, 516-524, 525, 529, 531, 829
 water quality, 517
 water resources, 50, 143, 199, 511-512, 514, 526, 528
 water security, 50, 509, 516-517, 519, 525, 529
 Wide Bay-Burnett, Queensland, Australia, 528

Autonomous adaptation

in Australia/New Zealand region, 513
 damage avoidance, 295, 754-760
 definition, 294
 in food, fibre and forest products, 294-295
 in Latin America, 593
 in North America, 637-638
 in small islands, 706
See also Adaptation; Adaptive capacity

B

Bangladesh

adaptation, 719, 722, 724, 732, 832
 deaths associated with cyclones, 338
 floods, 36, 187, 399, 414, 484-485
 groundwater salinisation, 483
 human health, 399
 human population, 488
 migration, human, 365, 488
 National Water Management Plan, 719, 724
 water resources, 477
See also Asia

Bartonella bacilliformis, 587

Baseline/reference climate*, 35, 143, 147, 158, 782, 783

Basins*. *See* River basins

Batrachochytrium fungus, 233, 586

Bats, 216, 405

Beaches, 324-326

- in Australia/New Zealand region, 511, 520, 522, 528
- closure for bacterial counts, 625
- erosion, 92, 318, 511, 520, 522, 696, 698
- in North America, 625
- recreational value, 523
- in small islands, 696, 698
- See also* Coastal systems and low-lying areas
- Benthic communities***, 38, 97, 213, 234, 236, 239
- Biodiversity***, 37, 38, 213, 215, 241-242, 247-248
 - adaptation option limitations, 52, 543, 559, 786
 - in Africa, 48, 242, 435, 439, 449, 449
 - in Asia, 49, 471, 478, 485-487, 491
 - in Australia/New Zealand region, 50, 509, 517-518, 518, 528
 - captive breeding and translocation, 247
 - in coastal systems, 335
 - conservation strategies, 560
 - Convention on Biological Diversity (CBD), 246, 247-248, 495, 769
 - in deserts, 223-224
 - endemic species, 38, 54, 213, 216, 230, 241, 583, 786
 - in Europe, 52, 54, 543, 553-554, 558, 560, 565
 - in forests, 230
 - in grasslands/savannas, 226
 - in Latin America, 583, 586, 590, 592, 596, 603, 791
 - management, 769
 - in mountain ecosystems, 233
 - in North America, 630
 - in oceans, 95, 236, 665
 - in polar regions, 665
 - projected impacts, 37, 38, 242-245
 - in saltmarshes, 630
 - in small islands, 58, 689, 700
 - vulnerability/risk, 38, 74, 781, 788, 792, 795-796
 - See also* Ecosystems; Extinction; Range shifts; Vulnerability hotspots
- Biofuels***, 288, 299, 555, 602, 758
- Biogeochemical cycles**, 219-222, 234, 789, 792-793
- Biological corridors**. *See* Ecological corridors
- Biological systems**, 26, 28-31, 83
 - adaptive capacity, 782, 798
 - key vulnerabilities, 74, 788-789, 792, 798
 - linking climate-change causes with observed effects, 29
 - locations of significant changes in, 30
 - See also* Ecosystems
- Biomass***, 56, 98, 214, 220
 - carbon dioxide and, 220, 486
 - forest, 52
 - modelling, 240
 - phytoplankton, 56, 96
- Biomass burning**, 53, 402, 583, 588, 590
- Biomes***, 38, 214-215
 - biome changes, 38
 - biome shifts, 222, 237, 596 (*See also* Range shifts)
 - cross-biome impacts, 237-239
 - See also* Ecosystems; Sea-ice biome
- Biosphere***, 38, 215-216, 604
- Biota***, 178, 213, 219-222, 249
- Biotechnology**, 296, 452, 555-556
- Biotic feedback**, 219-222
- Birds**
 - in Africa, 449
 - in Australia/New Zealand region, 512, 518, 521
 - avian malaria, 700
 - breeding/breeding areas, 100, 103, 193, 518, 622
 - desert species, 223-224
 - extinction risks, 103, 230
 - habitat losses, 554
 - migration, 100, 223-224, 230, 239, 449, 625, 666, 696
 - migration, infectious diseases and, 403
 - in North America, 622, 625
 - observed changes, 95-96, 100, 101
 - in polar regions, 666
 - seabirds, 95-96, 521, 527, 696
 - West Nile virus and, 625
- Bluetongue (BT)**, 555
- Bogs***, 230, 231, 233
- Boreal Asia**. *See* Asia
- Boreal forests***, 217, 228, 276, 485-486
- Bottom-up assessment approaches**, 136, 749
- Bottom-up risk reduction approach**, 820
- Brazil**
 - freshwater resources, 175, 179, 185
 - natural ecosystems, 592
 - runoff into coastal waters, 324
 - sedimentation in reservoirs, 179
 - See also* Latin America
- Breakwater***, 343
- Bruntland Commission**, 814, 819
- Buildings**. *See* Construction
- Butterflies**
 - in Australia/New Zealand region, 512
 - extinction of, 103
 - in North America, 622
 - observed changes, 103, 104
 - reproduction/diversity of, 103, 104
- C**
- C₃ plants***, 224, 225, 483, 520
 - carbon dioxide effects on, 40, 282
- C₄ plants***, 224, 225, 483, 518, 520
 - carbon dioxide effects on, 40, 282
 - switchgrass (*Panicum virgatum* L.), 288
- Calcareous organisms***, 38, 222, 234, 235
 - See also* Aragonite; Ocean acidification
- Calcite***, 222
- Campylobacter**, 400
- Canada**
 - adaptation, 722
 - agriculture, 623-624, 631
 - cities, climate change impacts in, 633
 - coast erosion, 92
 - Confederation Bridge, 65, 719, 724
 - energy use/demand, 626, 634-635
 - forest-dependent communities, 736-737
 - forest fires, 107, 217, 621, 623, 631

- forestry, 218, 624, 630, 631
 freshwater resources, 627-629
 Hudson Bay, 92, 669
 human health, 395, 410, 415, 416
 indigenous peoples, 415, 416, 728, 730-731
 infrastructure, 726
 Okanagan, costs of climate change in, 195
 phenology, 283, 621, 622
 precipitation, 621, 622
 temperature, 620, 621
 tourism and recreation, 626, 634
 transportation, 366, 726
 wildlife, 622
See also North America
- Capacity building***, 69, 72, 797
 in Australia/New Zealand region, 514
 food, fibre and forest products, 296
 in small islands, 708-709, 710
- Carbon**
 carbon-climate interactions, 792-793, 795
 dissolved organic (DOC), 234, 239, 665
 pools, 283
 social cost of, 65, 756, 771, 813, 821-824
 storage (*See* Carbon sequestration*; Carbon sinks)
 World Bank funds for, 753
- Carbon cycle***, 220-222, 792-793, 795
 large-scale studies, 604
 net carbon exchange in terrestrial ecosystems, 38, 213, 222
 projections/vulnerability, 38, 792-793
- Carbon dioxide (CO₂)***
 draw-down by oceans, 658, 662
 effects on plant growth, 40, 54, 220, 225, 240, 276, 282-283, 285-287, 290, 300, 824
 effects on soil water balance, 225
 free-air CO₂ enrichment (FACE) experiments, 40, 276, 282, 300
 freshwater resources and, 184-185, 187
 pollen production and, 632
 projected global-scale impacts, 824, 825
 projected levels in 2050, 825
 projected levels in 2100, 213
 scenarios, 34-35, 152-153, 158-160, 323, 799-802
 stabilisation, crop production and, 284
 stabilisation, global temperature response and, 158-159
 stabilisation scenarios, 35, 77, 799-802
 stabilisation targets, 799-802
See also Carbon dioxide fertilisation; Greenhouse gases (GHGs)
- Carbon dioxide fertilisation***, 214, 220-221, 223, 228, 241
 effects on food production, 54, 479-480
- Carbon flux**, 38, 213, 222, 552, 792, 795
 in Arctic terrestrial ecosystems, 662, 665, 667-668
 in Southern Ocean, 662
- Carbon sequestration***, 213, 219-222, 241
 adaptation and mitigation decisions, 752, 758
 by forests, 106, 214, 227-228, 552
 by oceans, 234
 tipping points for, 241
- See also* Carbon sinks
- Carbon sinks**, 220, 237, 792-793, 795
 in the Arctic, 662, 665, 667
 global carbon stores, 214
 potential reversal of, 38, 213, 222, 792
 vulnerability of, 283
- Carbon stocks**, 213, 214, 220-221, 227-228, 552, 792-793
- Carbonate ion**, 234
- Cardio-respiratory diseases**, 43, 418
- Cardiovascular diseases**, 394, 402, 487
- Caribbean region**
 adaptation, 728, 732
 climate, 691-692
 coral reefs, 94, 235, 242, 321, 330
 dengue fever, 701
 hurricanes, 54, 692, 701
 Organisation of Eastern Caribbean States (OECS), 690, 703
 respiratory disease, 109
 sea-level rise, 692
 tourism, 336
 urban indicators, 363
See also Small islands
- Caribou**, 666, 668
- Carrión's disease (*Bartonella bacilliformis*)**, 587
- Catchments***, 89, 90, 177, 184, 188
 in Asia, 483
 in Australia/New Zealand region, 516, 517, 524, 525, 528
 in Europe, 550, 553
 in Latin America, 593
 modelling, 90, 181, 182, 201-202
 in polar regions, 663
 in small islands, 697, 708
See also River basins
- Cattle**. *See* Livestock
- Cattle tick (*Boophilus microplus*)**, 283, 520
- CCIAV (Climate change impact, adaptation and vulnerability) assessment**, 31-35, 133-171
 approaches, 135-141
 conclusions and future directions, 161-162
 coping ranges, 142-143
 data needs for, 144
 frameworks for, 136
 future characterisations, 32-35, 135, 144-161
 impact assessment, 136-137
 integrated assessment, 136, 137, 139
 methods, 31-35, 133-171
 non-climate factors, 135
 policy-based approach, 136
 risk management, 135, 139-141
 stakeholder involvement, 31-32, 135, 141-142
 top-down vs. bottom-up approaches, 136
 uncertainty management, 141
 uncertainty/risk communication, 143-144
 vulnerability assessment, 136, 137, 138-139
See also Adaptation assessment; *specific approaches*
- CDM**. *See* Clean Development Mechanism*
- Central America**. *See* Latin America

- Cereal grains.** *See* Grain crops
- Cerebral infarction/ischemia,** 487
- Chacaltaya glacier, Bolivia,** 87
- Chagas' disease*,** 601
- Child mortality,** 394, 401
- China**
 crop yields, projected, 297
 deltas and coastal ecosystems, 64, 484-485, 493, 496
 floods, 398, 484-485
 groundwater salinisation, 483
 heat watch and warning systems, 491
 Huanghe River, 179, 319, 326, 485
 human health, 398, 405, 414, 487
 migration, human, 488
 Qinghai-Tibet Railway, 724
 schistosomiasis in, 405
 water demand, 284
 water level in deltas, 484
See also Asia
- Cholera*,** 398, 401, 439, 478, 599, 701
 in Asia, 50, 471, 478, 481, 487, 791
- Ciguatera fish poisoning,** 400, 449, 701
- Cities.** *See* Urban settlements
- Clean Development Mechanism (CDM)*,** 248, 752, 753
- Climate***
 direct and indirect effects of, 362-363, 374
 linkages with sustainable development, 818
See also Baseline/reference climate; Climate change;
 Climate variability; Detection and attribution
- Climate change***
 definition, 27
 direct and indirect drivers of, 816, 817
 direct and indirect effects of, 359, 364, 374
 as driver of ecosystem changes, 817
 global cost estimates, 727
 impacts (*See* Impacts. *See also* CCIAB assessment)
 multiple cause and stress context, 43, 75, 359
 observed changes, **79-131** (*See also specific systems and regions*)
 perspectives on, 75-76, **811-841**
 positive and negative impacts of, 782
 'reasons for concern,' 73-76, 781, 795-797, 800
 regional (*See* Regional climate change)
 research needs, 77-78
 reversible vs. irreversible, 785
 summary of main findings, 25
 sustainability and, 75-76, **811-841**
 vulnerabilities and risk from, **779-810**
See also Anthropogenic climate change; Baseline/reference climate; Detection and attribution; Global warming;
specific regions and ecosystems
- Climate change commitment*,** 748, 827
- Climate change impact, adaptation and vulnerability assessment.** *See* CCIAB assessment
- Climate change scenarios.** *See* Scenarios; SRES scenarios
- Climate envelope modelling,** 239-240, 241
- Climate extremes.** *See* Extreme weather events; *specific climate conditions*
- Climate forecasting,** 53, 416, 721, 727-728
- Climate impacts.** *See* Impacts, of climate change
- Climate impact assessment.** *See* Impact assessment
- Climate models*,** 29, 32-33, 139, 148
 AOGCMs, 32-33, 149-151
 climate envelope modelling, 239-240, 241
 Computable general equilibrium (CGE) model, 337
 Earth System Models of Intermediate Complexity, 139
 ensemble models, 77, 800
 perturbed parameter ensemble, 800
See also Future characterisations
- Climate policy,** 31, 766-769
 adaptation/mitigation inter-relationships in, 747, 760-763
 implementation, 747, 766-769
 introduction, 748-750
 mainstreaming, 31, 768, 818
 methods in vulnerability assessment, 800
 national, sub-national and local scales, 769
 portfolio, 71-72, 76, 747, 749, 760-763, 813, 827
 regional scale, 767-769
 sustainable development and, 747, 751, 765-766
See also Adaptation; Adaptation and mitigation inter-relationships; Mitigation
- Climate prediction***
 ENSO-based, 591
 indigenous knowledge in weather forecasting, 456-457
 in Latin America, 53, 591-592, 604
 limits on usefulness, 604
 seasonal climate forecasting, 416, 721, 727-728
- Climate projection*,** 31-35, **133-171**
See also Scenarios; SRES scenarios
- Climate scenarios*,** 148-152, 155
See also Scenarios; SRES scenarios
- Climate sensitivity*,** 161, 758, 800-801
 uncertainties in, 799
See also Sensitivity; *specific regions*
- Climate system***
 dangerous anthropogenic interference with, 781, 782, 784, 798, 799, 801-802, 804
 global, impacts of changes in polar regions, 655, 660, 661-662, 667-668
- Climate thresholds*,** 37, 76, 781, 784-785, 802-803
 systemic thresholds, 784, 802
See also Thresholds
- Climate variability*,** 38, 84, 86, 107
 adaptation to, 111
 in Africa, 435, 436-437, 439, 448, 454
 in Asia, 471, 472-478, 475, 479
 in Australia/New Zealand region, 510-512
 biodiversity and, 103
 in coastal systems, 92, 93
 in Europe, 547, 550, 555
 impacts on disturbance regimes, 38
 in Latin America, 54, 583, 586, 591
 modes of, 84, 794-795
 in North America, 55, 626
 in polar regions, 660, 671
 projections of, 152

- in small islands, 693, 708, 710
sustainable development and, 384
See also El Niño Southern Oscillation (ENSO); Extreme weather events; Indian Ocean Dipole (IOD); Interdecadal Pacific Oscillation (IPO); Modes of climate variability; North Atlantic Oscillation (NAO); Northern Annular Mode; Pacific Decadal Oscillation (PDO); Southern Annular Mode
- Cloud forests**, 48, 230, 244, 439, 596, 700
- CO₂ fertilisation**. *See* Carbon dioxide fertilisation
- Coastal squeeze***, 623, 630
- Coastal systems and low-lying areas**, 40-41, 45-46, **315-356**
adaptation, 40-41, 317, 339-345, 491, 559, 719, 795
adaptive capacity, 317, 318-322, 324-336, 344, 786
agriculture, forestry and fisheries, 333
assumptions about future trends, 322-324
beaches, rocky shorelines and cliffed coasts, 324-326
biodiversity, 335
climate and sea-level scenarios, 322-324
climate change factors, 318
climate drivers, 323
coastal processes and zones, 92-94
coral reefs, 317, 320, 321-322, 330
costs and socio-economic aspects, 40, 317, 336-339
current sensitivity/vulnerability, 318-322
deltas, 40, 41, 317, 326-328, 327, 332, 484
El Niño Southern Oscillation (ENSO) and, 319, 623
erosion, 81, 92, 93, 317, 320, 324-326, 328, 338, 477, 484, 558, 630
estuaries and lagoons, 328
exposure, 362, 372
external terrestrial and marine influences, 319-320
extreme events, lessons from, 340
extreme water level simulations, 325
freshwater resources, 179, 317, 331
future impacts and vulnerabilities, 40-41, 45-46, 324-336, 374, 795, 813, 828
geomorphology, 92
as high-risk areas, 359, 364
human health and, 43, 334-335, 407, 414, 471
human impacts of climate change, 330-336
human population in, 40, 317, 318, 319, 323, 327, 346, 364, 372, 399, 414, 630
human settlements, infrastructure and migration, 81, 331, 333-334, 359, 791
human utilisation/development of, 40, 317, 319, 326
infrastructure, 372, 619, 690
Integrated Coastal Zone Management (ICZM), 340-341, 491
interaction of natural and human sub-systems, 318
introduction, 318
inundation, 40, 64, 317, 320, 325, 333, 484, 813
mangroves, saltmarshes and sea grasses, 92, 328-330
multiple stresses, 40, 317, 336
natural systems, 318-319, 324-330
observed changes, 28, 40, 92-94, 115, 320
recreation and tourism, 320, 335-336
regional differences, 331, 336
sea-level rise and, 35, 40, 41, 81, 92, 317, 322-324, 325, 326, 336, 339, 346, 372, 414, 520, 630
socio-economic aspects, 317, 322, 323, 330-339, 331
sustainable development, 345
thermal stratification, 235
thresholds, 320, 321-322
uncertainties and research priorities, 345-347
vulnerabilities, risks and hotspots, 40-41, 317, 318-322, 336, 337, 399, 796
water management, 759
wetlands, 40, 92, 93, 317, 328-330
See also specific regions and countries
- Coccolithophores***, 222, 658
- Coconuts**, 333, 450
- Cod**, 669, 670
- Coffee growing/production**, 597, 731
- Cold-related mortality**, 51, 108, 393, 407, 408, 411, 418, 557
- Cold-waves**, 375, 397-398
- Colorado River basin**, 193-194, 197, 627, 634
- Columbia River basin**, 627, 628, 633, 818-819
- Commitment to warming**, 827
- Committed to extinction***, 241, 242-245, 553, 630, 792
See also Ecosystems; Extinction; Extirpation
- Communicable diseases***. *See* Infectious diseases
- Communication of uncertainty/risk**, 143-144, 380, 735
- Confederation Bridge, Canada**, 65, 719, 724
- Confidence***, 27, 141, 786
See also Uncertainty; *specific topics and executive summaries*
- Conflicts and war**, 442-443, 447, 451, 459
- Conservation**, 38
in Asia, 495
of coral reefs, 485
in Europe, 52, 544, 559, 560
in Latin America, 592, 602
of mangrove forests, 492
- Construction**, 367, 379, 635
See also Infrastructure
- Context**, 359, 635
human systems, 361, 366, 374
multi-stress/multi-cause, 43, 75
- Control run***, 187
- Convention on Biological Diversity (CBD)**, 246, 247-248, 495, 769
- Convention on International Trade of Endangered Fauna and Flora (CITES)**, 495
- Convention to Combat Desertification (CCD)**, 495
- Copepods**, 96
- Coping ranges**, 142-143
See also Adaptation; Vulnerability
- Coral atolls**, 40, 697-698, 705, 707
See also Small islands
- Coral bleaching***, 216, 235, 317, 321-322, 330, 512, 518, 527
El Niño Southern Oscillation (ENSO) and, 319, 321, 330, 439
observed changes, 94, 235, 439, 477
projected changes, 40, 57-58, 800
recovery time from, 527

- sea surface temperature and, 94, 235, 321-322
thresholds, 485
- Coral reefs***, 235, 320, 321-322, 330, 512
adaptation potential, 235
in Asia, 49, 471, 472, 477, 485, 486
'crown-of-thorns' starfish, 439
ecosystems, 94, 214, 234, 235, 292, 477-478
endangerment status, 235
Great Barrier Reef, 242, 320, 509, 512, 518, 527
habitat and processes, 235
in Latin America, 590
non-climate-change threats, 699
observed changes, 28, 94, 235, 439, 477, 512, 816
ocean acidification and, 38, 94, 235, 793
pathogens, 590
projected changes, 40, 57-58, 471, 485, 518, 792
vulnerability/risk, 40, 216, 235, 240, 518, 730
white band disease (WBD), 590
See also Coral bleaching
- Corals***, 213, 214, 235
calcification of, 235
cold-water, 213, 234, 236, 658, 793
ocean acidification and, 213, 234, 658
vulnerability/risk, 235, 240
See also Coral bleaching; Coral reefs
- Cost-benefit analyses (CBAs)**, 800, 802-803
in adaptation and mitigation, 747, 754, 756, 757
- Cost-effectiveness analyses (CBEs)**, 755, 800, 803
- COST725 project**, 112, 113
- Costs**, 64-65, 78
adaptation (*See* Adaptation costs and benefits)
aggregate, global, 64-65
of climate change, 65, 756, 771, 813, 821-824, 822
coastal systems, adaptation, 40, 317, 336-339, 345
computable general equilibrium (CGE) model, 337
cost estimates, 337, 359
ecosystem goods and services, 245-246
extreme weather events, Asia, 489
extreme weather events, Australia/New Zealand region, 50, 511, 513
extreme weather events, Europe, 362
extreme weather events, North America, 55, 332, 338, 369, 619, 621, 626
food, fibre and forest products, 296-297, 301
freshwater resources/management, 190-196
human health, 415
human vs. monetary, 365
industry, settlement and society, 362, 365, 376-379
methods and tools for characterising, 337
mitigation costs and benefits, 749, 756-757, 802
post-event impacts, 338
schematic overview of inter-relationships, 748
social cost of carbon, 65, 756, 771, 813, 821-824
tourism losses, 626
- Crab**, 669
- Crop diversification**, 624
- Crop yields**, 38, 282-285, 300, 413, 791
in Africa, 48, 297, 435, 448
in Asia, 49, 106, 297, 471, 479-481
in Australia/New Zealand region, 518, 519
carbon dioxide effects on, 38, 40, 54, 276, 282-283, 284, 300, 824
climate extremes and, 284
damage avoidance, 295
in Europe, 548-549, 554-555
in Latin America, 597
in North America, 624, 631
ozone effects, 278
temperature and, 49, 275, 282-283, 284-285, 286, 295, 300, 301
See also Agriculture; Crops
- Crops**, 275, 276, 283-285
adaptation strategies, 70, 294-295, 452, 721, 725-726
in Australia/New Zealand region, 518-519
bioenergy/biofuels, 288, 544, 555, 635, 758
biotechnology and, 296
El Niño Southern Oscillation (ENSO) effects, 277
in Europe, 52, 554-555
extreme events and, 277, 277, 278
genetic modification, 296
globalisation and, 730, 731
industrial, 288
mid- to high-latitude, 275, 276, 286, 296, 297, 300
in North America, 624, 635, 636
observed changes, 104-106
pests (*See* Insect pests)
rain-red, 48, 50, 280, 448, 480
in small islands, 700
threshold responses, 277
varieties and planting times, 295, 452, 721, 725
See also Agriculture; Crop yields; Grain crops; *specific crops*
- 'Crown-of-thorns' starfish**, 439
- Crustacea**, 291
- Cryosphere***
future impacts, 184, 551, 558, 565
global impacts of changes in, 56-57, 655, 660, 661-662, 667-668
observed changes, 28, 81, 85-90, 115
observed trends, 177, 543, 546
See also Polar regions; *specific components of cryosphere*
- Cryptogams***, 230
- Cryptosporidium**, 189, 398, 487, 671, 701
- Culex mosquito**, 625
- Culicoides imicola**, 555
- Cutaneous leishmaniasis**, 403, 587, 599
- Cyclones**. *See* Extra-tropical cyclones; Tropical cyclones
- D**
- Damages avoided**, 77-78, 295, 754-760, 798-803
- Dams**, 181, 493, 768-769
impact on river sediments, 317, 319, 493
- Dangerous anthropogenic interference**, 781, 782, 784, 798, 799, 804
temperature threshold for, 801-802
See also Vulnerability assessment

- Deaths.** *See* Mortality
- Decision analysis,** 31, 752-753
- Decision-making,** 735-736, 750, 752-754
 in adaptation and mitigation, 72, 747, 750, 752-760, 832-836
 nature of decision problem, 752-753
 participatory processes, 813, 832-834
 support mechanisms, 813, 836
- Deer Island sewage facility, U.S.,** 724
- Deforestation*,** 216, 229-230, 281, 299, 757
 in Africa, 442
 in Latin America, 53, 583, 590, 594-595, 604, 606
- Deltas,** 40, 41, 317, 326-328, 327, 332, 484
 See also Ganges-Brahmaputra delta; Megadeltas
- Dengue fever*,** 393, 403-404, 408, 410
 in Asia, 478, 487
 in Australia/New Zealand region, 408, 410, 524
 climate-related factors and, 478
 in Latin America, 404, 586, 591, 593, 599
 in small islands, 689, 701
- Dermatosis,** 487
- Desalination,** 181, 525, 559, 689, 697, 759
- Desertification*,** 767
 in Africa, 439, 442
 in Asia, 472, 486
- Deserts*,** 222-224, 472
 amelioration of, 223, 237, 238
 carbon stocks, 214
- Detection and attribution*,** 28, 29, 79-131, 781
 confidence, 85
 definitions/terminology, 83
 joint attribution, 83, 112-116
 larger-scale aggregation and attribution, 82, 112-116
 linking climate-change causes with observed effects, 29
 methods, 83-85
 regions and systems, observed changes in, 85-116
 research needs, 78, 117
 summary, 81-82
 synthesis of studies, 114-116
 See also Climate change; Joint attribution; Observed changes and responses
- Developed countries**
 adaptation deficits/challenges, 43, 55, 69, 397
 energy use, 827
 sea-level rise, costs of, 339, 339
 vulnerabilities, 781, 792
 water quality problems, 179
 See also specific countries
- Developing countries**
 adaptive capacity, 40
 aggregate impacts, equity issues and, 821
 agricultural adaptation, 726
 agriculture, 279, 281-282
 coastal area impacts/costs, 40, 317, 331, 336, 339
 energy use, 827
 human health impacts, 43
 impacts/vulnerabilities in, 781, 784, 796
 natural disaster-related deaths in, 373
 per capita CO₂ emissions in, 826
 sea-level rise, costs of, 339, 339
 water quality problems, 179, 189
 See also specific countries
- Development,** 75-76
 adaptive capacity and, 276, 279, 620, 719, 755, 767
 CDM (Clean Development Mechanism), 248, 752, 753
 climate-related vulnerabilities and, 813
 as driver of water use, 182
 environmental quality and, 76, 819-820, 835
 equity issues, 494-495, 813, 826-827
 linkages with adaptive capacity, 817-819
 mainstreaming adaptation and, 832, 832-836
 participatory processes, 813, 832-834
 paths, 75, 494-495, 764-766, 771, 817-818
 sustainable (*See* Sustainable development)
 syndromes/categories, 819
 See also Sustainable development; specific regions
- DGVMs.** *See* Dynamic Global Vegetation Models
- Diadromous* fish species,** 39, 275, 291, 300
- Dialogue on Water and Climate (DWC),** 197, 197
- Diarrhoeal diseases,** 43, 189, 393, 401, 410
 in Africa, 437, 441
 in Asia, 50, 471, 478, 481, 487
 in Australia/New Zealand region, 524
 flood-related, 399
 morbidity/mortality from, 50, 471, 478, 481
 projections, 407, 418
 in small islands, 689, 701
 water quality and, 335
- Dimethyl sulphide (DMS),** 222
- Disasters,** 109-111, 393
 in Africa, 442-443, 447, 451, 459
 costs in Australia/New Zealand region, 511
 costs in North America, 626
 disaster risk management/reduction, 813, 820-821
 gender and, 398
 mental disorders and, 399
 observed changes, 109-111
 preparedness programs, 492
 See also Extreme weather events; specific disasters
- Discount rate*,** 65, 813, 822
- Diseases,** 43, 393-394, 403-405, 418
 air quality and, 401-402
 cold-related, 671
 monitoring of, 43, 491
 mosquito-borne, 400, 524, 625 (*See also* Malaria)
 non-communicable, 394
 observed changes, 82, 107-109
 rodent-borne, 404
 tick-borne (*See* Tick-borne diseases)
 vector-borne (*See* Vector-borne diseases)
 water and, 400-401
 water-borne (*See* Water-borne diseases)
 zoonotic, 625, 671
 See also Human health; Infectious diseases; specific diseases
- Disturbance regimes*,** 37, 213, 214-215, 216

- in Africa, 439
- climate variability and, 38
- in North America, 56, 619, 620, 623, 631
- projected changed, 38, 792
- See also* Fires; Insects
- Downscaling***, 135, 148, 250-251, 594
- Drosophila melanogaster***, 104, 512
- Droughts***, 175, 186-187
 - adaptation, 70, 722
 - in Africa, 237, 278, 287, 437, 734
 - in Asia, 473, 476
 - in Australia/New Zealand region, 50, 509, 510-511, 511, 515, 519
 - current sensitivity/vulnerability, 177-178
 - extreme events, 187, 188, 789
 - human health impacts, 399-400
 - in Latin America, 400, 586
 - in North America, 619, 622, 623, 624, 625, 626
 - observed changes, 89, 90, 177
 - projected impacts and interactions, 42, 51, 375, 789
 - in small islands, 698
 - types of, 186-187
 - vulnerability/risk, 35, 74, 789
- See also* Extreme weather events
- Dust-related diseases/health effects**, 108, 109, 400, 402, 439
- Dykes***, 457, 548, 559, 640
- Dynamic Global Vegetation Models (DGVMs)***, 219, 220, 222, 240, 241
- E**
- Early warning systems**, 53, 417, 491, 544, 563, 591, 604
 - See also* Extreme weather events; Heatwaves
- Earth System Models of Intermediate Complexity**, 139
- East Timor (Timor Lest)**, 706
- Ecological communities***, 103, 104, 214
 - See also* Ecosystems
- Ecological corridors***, 54, 525, 560, 583, 592, 769
- Ecological surprises**, 38, 242
- Economies**
 - in Africa, 440-441, 454
 - in Europe, 52-53, 543-544, 545
 - in Latin America, 595-596
 - in North America, 627
 - in polar regions, 56, 655, 661, 665-666, 668, 676
 - of resource-dependent communities, 625
 - in small islands, 57, 695, 698, 701-702
- See also* Market impacts; Socio-economic impacts; *specific regions*
- Ecophysiological process***, 240
- Ecosystem approach***, 246-248
- Ecosystem services***, 213, 215, 245-246
- Ecosystems***, 37-38, 44-45, **211-272**
 - adaption and acclimation, 38, 213, 246-248
 - adaptive capacity, 52, 658-660
 - areal extent, 214
 - assumptions about future trends, 218-219
 - costs/valuation of goods and services, 245-246
 - cross-biome impacts, 237-239
 - current sensitivities, 213, 215-218
 - drivers of change, 213, 215-218, 219, 817
 - future impacts and vulnerabilities, 37-38, 213-214, 219-245, 792, 795-796
 - goods and services, 213, 215, 245-246
 - impacts, global synthesis of, 213-214, 239-245
 - introduction, 214-215
 - key issues, 215
 - management, 246-248
 - modelling, 218-219, 239-240, 250-251
 - multiple stresses, 213, 215, 241, 246-247
 - projected impacts, 37-38, 44-45, 213, 238, 240, 242-245, 828
 - resilience, exceedence projections, 37
 - scales and time lags, 214, 215, 547
 - sustainable development, 248-249
 - thresholds, 37, 215, 785, 802
 - uncertainties and research priorities, 249-250
 - vulnerability/risk, 37-38, 240, 788-789, 792, 795-796
- See also* Biodiversity; Extinction; Extirpation; *specific ecosystems and regions*
- Ecotone***, 216, 228, 233, 237
- Egypt**, 339, 445, 448, 452, 485
- El Niño Southern Oscillation (ENSO)***
 - agriculture effects, 277
 - in Asia, 473, 475, 477
 - in Australia/New Zealand region, 510, 521
 - coral bleaching and, 319, 321, 330
 - definition, 292
 - fisheries and, 292
 - forecasting and responses to, 591, 721
 - in Latin America, 585, 586, 591
 - malaria and, 404
 - marine ecosystems and, 95, 101
 - in North America, 623, 627, 630
 - projected changes and impacts, 794
 - in small islands, 689, 690, 691, 692
- See also* Modes of climate variability
- Elderly population**
 - disproportionate impacts of climate/weather events, 363, 399, 730
 - mortality from extreme weather events, 362, 563
 - vulnerability of, 43, 64, 393, 399, 557, 791
- Emigration**. *See* Migration
- Emissions scenarios***, 155, 529, 758
- Encephalitis**, 625
- Endemic* species**, 213, 216, 230, 241, 583
 - vulnerability/risk, 38, 54, 786
- See also* Biodiversity
- Energy**
 - adaptation, 379
 - adaptation costs and benefits, 725, 726
 - in adaptation/mitigation decisions, 759, 760, 767-768
 - clean development, 248, 418-419, 752, 753, 835
 - future impacts and vulnerabilities, 36, 366-367, 371, 790
 - global cost estimates, 727
 - production, 193, 363, 367
 - vulnerability/risk, 790

See also Biofuels; Energy use/demand; Hydropower generation; Wind

Energy use/demand

in Africa, 442, 446, 459, 767-769
in Asia, 111, 488-489
in Australia/New Zealand region, 511, 516, 523-524
in Europe, 52-53, 543, 545, 548, 556, 561, 565
in North America, 367, 626, 633, 634-635
observed changes, 111
in small islands, 702

Ensemble* models, 77, 800

ENSO. *See* El Niño Southern Oscillation (ENSO)

Environmental Impact Assessment (EIA), 724

Environmental quality, 76, 361-362, 365, 819-820, 835

Epidemics*, 399-400, 404-405, 415-416

in Africa, 406, 438, 446, 447
in Latin America, 586

Equity issues, 76, 494-495, 784, 786, 813, 826-827, 835

Erosion*

in Australia/New Zealand region, 511, 520-521, 522
of beaches, 92, 318, 511, 520, 522
in coastal systems, 92, 93, 317, 320, 324-326, 328, 338, 623, 630
in North America, 623, 630
soil, 179, 189-190, 558

Estuaries, 328

in Africa, 450
in Asia, 485
in Australia/New Zealand region, 517
salinisation of, 175, 179, 189

Europe, 51-53, 60-61, **541-580**

adaptation and adaptive capacity, 52, 53, 117, 543, 544, 547, 559-562, 722, 724
agriculture and fisheries, 52, 543, 545-546, 548-549, 554-556, 558, 560-561, 565
assumptions about future trends, 547-549
biodiversity, 52, 543, 553-554, 558, 560, 565
biofuel use in, 299
case studies, 562-563
climate, 544, 545
climate projections, 51-52, 547-548
coastal and marine systems, 51, 543, 550-551, 558, 559, 565
COST725 project, 112, 113
cryosphere, 546
current sensitivity/vulnerability, 544, 545-547
economy/economic impacts, 52-53, 543-544, 545
ecosystem impacts, 243-244, 543, 546, 553-554
energy and transport, 52-53, 543, 545, 548, 556, 561, 565
European Alps, 28, 53, 102, 216, 546, 548, 551-552, 557
European Biomass Action Plan, 299
extreme events, 544, 548
fires, 51, 543, 552, 558
flood and drought risk, 51, 187, 188, 543, 550, 558
flood defenses, 333, 417, 559, 562
food and fibre products, 545
forests, shrublands and grasslands, 52, 106-107, 543, 545, 549, 552-553, 559-560, 565

future impacts and vulnerabilities, 51-53, 60-61, 549-558, 565, 825, 829
glaciers, 28, 52, 543, 549-550, 551, 558
greenhouse gas emissions, 545, 769-770
growing season, 99
heatwave of Summer 2003, 51, 217, 362, 397, 562-563
heatwaves, 544, 557, 733
human health, 51, 395, 403, 409, 543, 546, 557-558, 562, 565
human population, 545, 548
insurance/property insurance, 557, 561-562, 565, 723
introduction, 544
land use, 548-549
mitigation policy, 767, 769-770
mountains and sub-Arctic regions, 543, 551-552, 559, 565
natural resources, 51-52
observed changes, 30, 51, 92, 99-100, 115-116, 543, 546
phenology, 51-52, 99-100, 101, 113, 546, 551, 552, 553, 558
precipitation, 151, 545, 547
sea-level rise, 51, 52, 346, 543, 551, 554
socio-economic development, 548
sustainable development, 546-547, 563-564
temperature, 150, 545, 547
thermohaline circulation and, 563
tourism and recreation, 53, 336, 556-557, 561, 565
uncertainties and research priorities, 564, 566
urban indicators, 363
urbanisation in, 549, 550
water resources, 52, 543, 545, 549-550, 557, 558, 559, 560, 565
water stress, 52, 543, 550, 552, 559
wetlands and aquatic ecosystems, 92, 543, 551, 553, 560, 565
windstorms/wind speed, 489, 547-548, 557

Eustatic sea-level rise. *See* Sea-level rise
See also specific countries

Eutrophication*
in Asia, 485
in Australia/New Zealand region, 517
in Europe, 551, 553, 558, 565

Evaporation*, 55, 84, 89, 91, 300

Evapotranspiration*, 64, 84, 91, 177, 184-186, 232
carbon dioxide enrichment and, 184-185
in mountain regions, 232-233
in North America, 621
observed trends, 177

Evolutionary processes, 104, 403

Exotic species. *See* Invasive species and invasive alien species (IAS)

Exposure, 43, 791, 814, 821

Exposure unit, 141

Externalities*, 69, 382, 719, 771

Extinction*, 38, 213, 215, 241-242
in Africa, 48
of amphibians, 103, 230, 233, 586, 590
in Asia, 49, 471, 485-486
in Australia/New Zealand region, 517, 528

- ‘committed to extinction,’ 241, 242-245, 553, 630, 792
- in Europe, 553
- of fish, 39-40, 275, 291, 300
- in freshwater ecosystems, 192, 193
- irreversible impacts of, 213
- in Latin America, 54, 586, 590, 596
- in North America, 55, 630, 631
- observed changes, 103
- projected changes, 38, 213
- See also* Butterflies; Extirpation
- Extirpation***, 226, 228, 247, 485
- See also* Extinction
- Extra-tropical cyclones**, 109-110, 317, 324, 623, 627, 692
- Extreme weather events***, 41, 64, 68, 73-75
 - adaptation, 721, 723, 798
 - in Africa, 377, 437, 444
 - agriculture/livestock impacts, 275, 277, 278, 279
 - analogues, 146
 - in Asia, 473, 476, 479, 488, 489
 - in Australia/New Zealand region, 50, 509, 511
 - coastal systems, lessons from, 340
 - costs of, 55, 332, 338, 362, 489, 511, 513, 619, 621, 626, 630
 - in Europe, 362
 - food, fibre and forest products and, 275, 283, 284, 298, 299
 - gender-related differences in impacts, 398, 730
 - human health and, 338, 393, 418, 635
 - increase in frequency/intensity, 38, 109-111, 283, 359, 372, 473, 781, 796
 - industry, settlement and society and, 41, 359, 362, 369, 372, 377
 - infrastructure and, 625-626
 - in Latin America, 53, 583, 585, 594
 - megadeltas, vulnerabilities to, 377
 - mortality from, 393, 394
 - in North America, 332, 338, 619, 621, 625-626, 632-633
 - projected impacts and interactions, 38, 68, 375, 413
 - scenarios, 148-152
 - in small islands, 695
 - vulnerability/risk, 41, 64, 73-75, 781, 789, 795, 796
 - See also* Climate variability; Droughts; Extra-tropical cyclones; Fires; Floods; Heatwaves; Hurricanes

F

- FACE experiments**, 40, 276, 282, 300
- Fagus sylvatica***, 107, 232
- Farming.** *See* Agriculture; Crops; Crop yields; Grain crops; Livestock
- Feedbacks***
 - biotic, 219-222
 - carbon cycle, 792-793
 - cascading, in freshwater systems, 655, 660
 - from changes in polar regions, 56-57, 655, 660, 661-662, 667-668
- Fiji**, 695, 705
- Filariasis**, 689, 701
- Financial sector**, 721, 723

See also Insurance

- Fires**, 229, 275, 290, 299, 300
 - in Africa, 435, 442
 - in Asia, 471, 472, 477-478, 486
 - in Australia/New Zealand region, 50, 509, 511, 517
 - carbon emission from, 107
 - controlled/prescribed burning, 247, 560
 - ecosystem effects, 217-218
 - in Europe, 51, 552, 558
 - fire-dependent biomes, 215
 - fire suppression, 218
 - in Latin America, 53, 596, 600
 - modelling, 290
 - in North America, 56, 619, 620, 621, 623, 631, 636
 - observed changes, 107
 - in peatlands, 477-478
 - projected changes, 38, 789, 792, 795
 - vulnerability/risk, 789, 792, 795
 - See also* Disturbance regimes
- Fish**, 236
 - biogeography, 95
 - distribution of species, 28, 233-234, 659
 - extinction, risk of, 631
 - extinctions at edges of ranges, 39-40, 275, 291, 300
 - growth, effect of temperature on, 291
 - migration, 98, 333
 - North America, 624, 629, 631-632
 - observed changes, 81, 95, 97
 - parasites, 292
 - in polar regions, 665, 669
 - projected changes, 49
 - salmon, 192-193, 275, 291, 624, 629
 - sea ice reduction and, 236
 - sturgeon, 275, 291
 - trout, 291, 665
 - tuna, 292, 482, 700
 - See also* Fisheries
- Fisheries**, 39-40, 275, 276-277, 291-292, 302
 - adaptation, 300
 - in Africa, 281, 435, 448, 449, 450
 - in Asia, 49, 279, 281, 471, 482, 489
 - Atlantic cod, 670
 - in Australia/New Zealand region, 512, 521
 - in coastal areas, 333
 - decadal variability and extremes, 292
 - economic impacts, 292, 790
 - in Europe, 52, 543, 545-546, 555-556, 561, 565
 - fin-fish, 669
 - globalisation and, 719, 730
 - importance of, 276
 - in Latin America, 281, 584, 587, 590, 593, 603
 - meridional overturning circulation and, 275, 292
 - multiple stresses, 279
 - in North America, 620, 624, 629, 631-632
 - observed changes, 81, 97, 816
 - pathogens/parasites, 292
 - in polar regions, 49, 291, 655, 659, 665, 669, 676
 - production, global, 291

- projected changes, 39-40
- in small islands, 57-58, 689, 700
- supply and demand, 281
- sustainability, 276
- wild-capture, 281, 291-292
- See also* Fish
- Floods**, 175, 186-187, 414
 - adaptation/defences, 70, 381, 517, 722, 724, 725
 - in Africa, 377, 398, 414, 435, 437, 447
 - in Asia, 398, 414, 471, 472, 476, 489
 - in Australia/New Zealand region, 517
 - coastal settlement and, 40, 64, 317, 331, 333-334, 484, 813
 - costs, 338
 - current sensitivity/vulnerability, 178
 - in Europe, 51, 187, 188, 550
 - extreme events, 109, 511, 789
 - flash floods, 51, 187, 789
 - future frequency of "100-year" floods, 372, 550, 633, 636
 - human health impacts, 398-399
 - Hurricane Katrina flood depths, 360, 414
 - insurance, 369, 377
 - in Latin America, 398, 586, 588
 - in North America, 55, 620, 626, 630, 633
 - observed changes, 89, 90, 177
 - projected impacts and interactions, 35, 196, 375, 789
 - river floods, 109
 - types of, 186
 - vulnerability/risk, 35, 789, 824
 - See also* Extreme weather events
- Fluoride in groundwater**, 179
- Food-borne illnesses**, 108, 109, 625, 701
 - See also* Diseases; Human health
- Food chain***, 81, 279, 291-292, 793
- Food, fibre and forest products**, 38-40, 45, 273-313
 - adaptation, 38-39, 275, 294-296, 300
 - adaptive capacity, 275, 279-280
 - air pollutants and UV-B radiation, 278
 - aquaculture, 276-277
 - assumptions about future trends, 280-282
 - biotechnology, 296
 - capacity building, 296
 - carbon dioxide effects on, 276, 282-284, 285-287, 290, 300
 - carbon pools, 283
 - climate and, 280
 - conclusions/summary, 275-276, 299-303
 - costs and socio-economic aspects, 296-299, 301
 - current sensitivity/vulnerability, 277-280
 - extreme events, 38, 275, 283, 284, 298, 299
 - fisheries, 39-40, 275, 276-277, 291-292
 - food-crop farming, 276, 283-285
 - food security (*See* Food security)
 - forestry, 39, 275, 276, 283-285, 288-291, 301
 - future impacts and vulnerabilities, 38-40, 45, 275, 282-294, 828
 - importance of, 276
 - industrial crops and biofuels, 288
 - introduction, 276-277
 - methods, 277
 - multiple stresses, 277-278, 279, 290
 - pastures and livestock production, 285-288, 301
 - subsistence and smallholder agriculture, 275, 279, 281-282, 293-294
 - supply and demand balance, 280-282
 - sustainable development, 276, 299
 - temperature and, 282-283, 284-285, 286, 287-288, 301
 - threshold responses, 277
 - trade and, 40, 275, 276, 284, 297, 300
 - uncertainties and research priorities, 276, 285, 290, 299-303
 - weeds, insect pests and animal health, 283
 - See also* Agriculture; Crops; Fisheries; Food security; Forestry
- Food poisoning**, 400, 410, 701
 - ciguatera fish poisoning, 400, 449, 701
- Food safety**, 400
- Food security***, 297-298, 299, 300, 394, 399
 - in Africa, 48, 275, 280, 297, 300, 399, 435, 440, 454-456, 719
 - in Asia, 297, 399, 471, 479-481, 482-483
 - in Australia/New Zealand region, 528-529, 529
 - gender-related vulnerability, 719, 729, 730
 - human health and, 394, 399, 413-414
 - in Latin America, 602
 - major components of, 455
 - projected changed, 40, 48
 - in small islands, 689, 698-700
 - See also* Food supply; Hunger
- Food-sharing**, 728
- Food supply**, 482-483, 816
 - adaptation, 797
 - vulnerability/risk, 74, 781, 787, 802
 - See also* Agriculture; Food security
- Food utilisation**, 298
- Food web***, 97, 216, 236
 - marine, 234, 236, 239, 793
- Forecast.** *See* Climate prediction; Climate projection
- Forest fires**, 229, 290, 299, 300
 - in Africa, 442
 - air pollutants from, 402
 - in Asia, 471, 486
 - attribution for increases in, 114
 - in North America, 31, 107, 620, 621, 623, 631
 - observed changes, 107, 114
 - See also* Fires
- Forest products.** *See* Food, fibre and forest products; Forestry
- Forestry**, 38, 39, 276, 283-285, 288-291
 - adaptation and mitigation decisions, 758, 759
 - adaptation strategies, 295-296, 300
 - in Australia/New Zealand region, 50, 509, 520, 525, 529
 - costs of climate change, 297
 - El Niño Southern Oscillation (ENSO) effects, 277
 - FACE experiments, 40, 276, 300
 - future impacts, 39, 40, 288-291, 297, 790
 - importance of, 276
 - insect damage control, 295

- International Tropical Timber Organization (ITTO), 495
 modelling, 290
 in North America, 620, 622, 624, 630, 636
 observed changes, 81-82, 106-107
 projected changes, 39, 40
 socio-economic impacts, 291, 297
 summary of impacts, 301, 302
 supply and demand in, 281
 timber productivity, 275, 289, 290, 300
 trade and, 40, 275, 289, 297, 300
 vulnerability/risk, 31, 82
See also Food, fibre and forest products
- Forests**, 227-230, 238
 in Africa, 299, 435, 439, 442
 in Amazonia, 54, 218, 241, 243, 281, 594-595, 596
 in Asia, 471, 472, 477-478, 481, 485-486, 488
 biodiversity, 230
 boreal, 217, 228, 276, 289, 485-486
 bushfire threat to, 442
 carbon dioxide effects on growth, 40, 220-221, 228, 282-283
 carbon stocks, 106, 214, 227-228, 231-232, 792-793
 cloud, 48, 230, 244, 439, 596, 700
 coastal areas, 317, 329, 333
 deforestation (*See* Deforestation)
 dependent communities, 736-737
 drought effects, 228
 ecosystems, 213, 227-230, 238
 in Europe, 52, 106, 543, 545, 552, 559-560, 565
 growing season, 81
 hurricane-induced mortality, 700
 insect infestations/damage, 218, 228, 619, 623, 624, 631
 land-use change and, 229-230
 in Latin America, 106, 584, 592, 594-595, 602
 mangrove (*See* Mangrove forests)
 in North America, 106, 620, 622, 624, 630, 735-736
 phenology, 31 (*See also* Phenology)
 productivity, 39, 52, 81-82, 106, 228, 297
 rainforest, Australia/New Zealand region, 516, 516, 518
 range/biome shifts, 229, 237, 241
 replacement by savannas, 583, 596
 in small islands, 689, 700
 tropical (*See* Tropical forests)
See also Deforestation; Forest fires; Forestry; Reforestation
- Fossil fuels**, 672-673, 826
- Free-air CO₂ enrichment (FACE) experiments**, 40, 276, 282, 300
- Freshwater lens***, 36, 186, 689, 697
- Freshwater resources and management**, 35-37, 44, 90-92, 173-210
 adaptation and risk management, 36, 175, 196-200
 adaptation limits, 199
 assumptions about future trends, 180-182
 climatic drivers, 180-181
 costs and socio-economic aspects, 190-196
 current sensitivity/vulnerability, 176-180
 decision-making under uncertainty, 199-200
- Dialogue on Water and Climate (DWC), 197
 ecosystems, 28-31, 97-98, 213, 214, 233-234, 239, 789
 erosion and sediment transport, 179, 189-190
 feedbacks, 660
 floods and droughts, 177, 178, 186-187, 188, 196
 future impacts and vulnerabilities, 35-37, 44, 182-190, 233-234, 789
 groundwater, 90, 177, 179, 185-186
 impact of human activities, 175-176
 infrastructure, 36, 175, 191
 Integrated Water Resources Management (IWRM), 196-197, 200
 introduction, 175-176
 management policies, 175, 724
 net negative impact of climate change, 175, 191
 nonclimatic drivers, 181-182, 194
 observed changes, 90, 97-98, 115-116, 177
 runoff, 36, 175, 177, 182-184
 sea-level rise and, 35
 surface waters, 90, 177, 177, 182-185
 sustainable development, 200-201
 uncertainties and research priorities, 175, 200, 201-202
 vulnerability/risk, 182-190, 233-234, 789
 water chemistry, 89, 91
 water demand/availability, 175, 191-194, 196-200, 197
 water quality, 178-179, 188-189
 water stress, 179, 193-194
 water temperature/structure, 31, 36, 81, 91, 175, 176
See also Water resources; *specific regions*
- Frogs**. *See* Amphibians
- Frozen ground**, 88, 115, 486
See also Permafrost
- Fruit bats (*Pteropus spp.*)**, 216
- Functional extinction***. *See* Committed to extinction
- Fur seals (*Arctocephalus gazella*)**, 660, 669
- Fusarium**, 586, 597
- Future characterisations**, 32-35, 77-78, 135, 144-161
 analogues, 32, 145, 146
 artificial experiments, 144-146, 145
 climate model data, 32
 comprehensiveness, 145
 definitions, 145
 large-scale singularities, 35, 135, 160
 non-climate scenarios, 34-35
 plausibility, 145
 probabilistic futures, 35, 135, 145, 160-161
 projections, 145
 scenarios, 76, 77, 145, 146-160
 sensitivity analysis, 32, 145, 146
 storylines, 32, 145, 146, 147
See also CCIAB assessment; Scenarios
- G**
- Ganges-Brahmaputra delta**, 64, 327, 485, 496
See also Megadeltas
- Gastrointestinal disease**, 487
- Gender**
 differential risk perception, 737

- differential vulnerability and adaptive capacity, 719, 729, 730
 natural disasters and, 398
- General Circulation Model (GCM).** *See* Climate models
- Generalists***, 229, 241
- Geo-engineering**, 797
- Geographically-distributed impact models**, 824-825, 836
- Geophysical systems**, 74, 782, 789, 792-795
- Giardia* spp.**, 487, 671
- Glacial lake outburst floods (GLOFs)**, 86-88, 395, 414, 477
- Glacial lakes**, 69, 86, 88, 719, 721, 723
- Glaciers***, 83, 86-88
 adaptation to glacial retreat/melt, 719, 721, 722, 723, 781
 in Africa, 439, 440
 in Arctic, 656, 661-662
 in Asia, 49, 471, 472, 477, 481, 483-484, 487, 493, 494
 attribution for glacial retreat, 114
 Chacaltaya glacier, Bolivia, 87
 in Europe, 28, 52, 543, 549-550, 551, 565
 Himalayan glaciers, 49, 481, 483, 487, 493, 494
 in Latin America, 87, 584, 589, 598
 observed changes, 28, 83, 86-88, 114, 177, 589, 661-662
 in polar regions, 656, 657, 661, 663, 674
 runoff from, 28, 89, 184
 sea-level rise and, 663
 vulnerability/risk, 781, 788
 water supply from, 184, 187, 483
See also Ice sheets
- Global mean annual temperature (GMAT)**
 carbon dioxide stabilisation and, 158-159
 modelling/scenarios, 34
 projections, 783, 804 (*See also* Temperature projections)
- Global mean temperature (GMT)**
 aggregate impacts of increases in, 73, 781, 796-797, 803-804, 821-825
 key vulnerabilities/risks from increases in, 73-76, 781, 787-789, 803-804
 thresholds, 803
See also Scenarios; Temperature; Temperature impacts; Temperature projections
- Global warming**
 commitment to, 827
 global impacts of cryosphere changes, 655, 660, 661-662, 667-668
 impacts of additional degrees of warming (*See* Temperature impacts)
 impacts of delay in addressing, 782, 802, 804
 probability of exceeding 2°C above pre-industrial level, 801
 risk-management timeline, 140
 summary of future impacts, 44-47, 59-63, 66-68
 summary of observed impacts, 26-31
See also Climate change; Scenarios; Temperature; Temperature impacts; Temperature projections
- Globalisation***, 719, 730
 adaptation and, 278, 729, 730, 797
 in Africa, 440-441
 food supply and, 482
 in India, 719, 729, 730
 in small islands, 693, 707
 sustainable development and, 819
- Governance/government**
 interactions with social/cultural systems, 375
 local, climate change adaptation and, 382
 new global governance structures, 383
 participatory, 834
 scenarios, 364
- Grain crops**
 in Africa, 448
 in Asia, 475, 479-481, 481
 in Australia/New Zealand region, 518
 cereal grains, 38, 275, 285, 286, 297-298, 302
 El Niño Southern Oscillation (ENSO) effects, 277
 in Europe, 545
 in Latin America, 597
 in North America, 624
 projected changes, 38
 sensitivity to climate change, 39
 temperature and, 285, 286, 297
See also Agriculture; Crop yields; Food, fibre and forest products; *specific crops*
- Grasslands**, 224-226, 285-288
 in Africa, 435, 439, 449
 in Asia, 483, 486
 carbon dioxide effects on, 220, 225
 carbon stocks, 214
 in Europe, 549, 553, 560, 565
 temperature impacts, 288
 wildlife, 226
See also Rangelands; Savannas
- Great Barrier Reef**, 50, 242, 320, 509, 512, 518, 527
See also Coral bleaching; Coral reefs; Corals
- Great Lakes, North America**, 56, 619, 627-629, 628, 634
- Greenhouse effect***, 526, 605
- Greenhouse gases (GHGs)***
 in Asia, 479, 489, 495
 in Australia/New Zealand region, 510
 climate change commitment from, 748
 comparison between, 823
 costs and damages avoided, 756-757
 emissions goals, 748, 753
 emissions in developing countries, 826
 in Europe, 545, 769-770
 mitigation scenarios, 35, 76, 139-141, 158-160, 755-757, 799-802
 in North America, 620
 overshoot scenarios, 801-802, 804
 in polar regions, 655, 662, 667, 672
 potential release from permafrost, 88, 213, 231, 661, 662
 risks of delay in mitigation, 782, 802
 social cost of, 813, 821-824
 stabilisation scenarios, 35, 71, 529, 758, 765, 799-802
 stabilisation targets, 799-802
 uncertainties in future emissions/scenarios, 800
See also Carbon dioxide; Methane
- Greenland ice sheet**, 74, 655, 656, 657, 661-662

- deglaciation impacts, 64, 74
- deglaciation parameters, 41, 73, 74, 781, 789, 793-794
- See also* Ice sheets
- Grenada**, 693, 701, 702
- Gross Domestic Product (GDP)***
 - extreme weather event impacts as percent of, 359, 376
 - global agriculture impacts as percent of, 296-297
 - global damage estimates with increases in temperature, 65, 822
 - impacts computed as a percent of, 821
 - sea-level rise protection costs as percent of, 725
- Gross national product (GNP)***, 245, 547, 592
- Gross primary production***. *See* Primary production
- Gross world product**, 790
- Groundwater**, 185-186
 - arsenic/fluoride in, 179, 587
 - in Asia, 483
 - in Latin America, 587, 599, 602
 - in North America, 629
 - observed changes, 90, 177, 177
 - salinisation, 35, 175, 179, 189, 483, 693
 - in small islands, 186, 189, 693
 - See also* Freshwater management
- Groundwater recharge***, 36, 175, 185-186, 549
- Growing season**, 31, 81, 99, 666
 - in Africa, 435, 447-448
 - in Asia, 475, 483
 - See also* Phenology
- Groyne***, 343
- Guardrail analysis**, 800, 802
- H**
- Habitat***, 817
 - fragmentation, 37, 213, 554, 666, 783
 - loss, 52, 583, 592
 - sea-level rise and, 554
 - See also* Ecosystems; *specific habitats*
- Hantavirus***, 404, 586-587, 625
- Haplosporidium nelsoni**, 292
- Harmful algal blooms (HABs)**, 96, 234, 328, 400, 551, 556
- Hawaii**. *See* Small islands
- Health**. *See* Human health
- Heat islands***, 55, 372-373, 381, 489, 587, 633
 - adaptation for, 492
- Heat-related deaths**, 43, 108, 393, 396-398, 408, 411, 733
 - in Asia, 478
 - in Australia/New Zealand region, 519, 524, 525
 - in Europe, 397, 411, 548, 557
 - in Latin America, 587, 600
 - in North America, 55, 411, 619, 625
 - See also* Heatwaves; Human health
- Heat stress**, 38, 49, 487, 492, 599, 689
 - effect on livestock, 287, 447, 586
 - vulnerability/risk, 789
 - See also* Extreme weather events
- Heatwaves**, 51, 396-397
 - adaptation, 43, 70, 719, 721, 722
 - in Asia, 396-397, 476, 478, 492, 733
 - in Australia/New Zealand region, 50, 509, 511
 - early warning systems, 53, 417, 491, 544, 563
 - ecological impacts of, 217
 - energy use and, 111
 - in Europe, 51, 217, 362, 544, 548, 557, 563
 - human health and, 396-397, 413, 632
 - impacts of, 42, 217, 375, 396-397, 632, 733
 - mortality from, 394
 - in North America, 619, 620, 632
 - vulnerability/risk, 781
 - See also* Extreme weather events; Heat-related deaths; Human health
- Hepatitis**, 587-588
- Herbaceous* growth**, 225-226, 552
- Herring (*Clupea harengus*)**, 669
- High-altitude regions**. *See* Mountain regions
- High-latitude ecosystems**, 38, 230-232
- High-latitude islands**, 58
 - biodiversity, 689, 700
 - sea-level trends, 692
 - temperature and precipitation, 694
- Himalayan glaciers**, 49, 473, 481, 487, 493, 494
- Hindu Kush-Himalaya region, freshwater runoff**, 49, 184, 187, 483
- HIV/AIDS**, 399, 406
 - in Africa, 69, 440, 441, 442, 448
 - in Latin America, 587
 - malaria and, 404
- Hotspots**. *See* Vulnerability hotspots
- Huanghe River**
 - damming of, 326
 - sediment load, 319, 326, 485
 - water supply and, 179
- Human capital**, 816
 - See also* Social capital
- Human health**, 43, 47, 391-431
 - adaptation, 43, 415-418, 491, 727-728
 - adaptive capacity, 43, 64, 393, 406
 - in Africa, 108-109, 399-400, 416, 435, 436, 437-439, 441, 446-447, 459
 - air quality and, 401-402, 408-412, 418-419
 - in Asia, 50, 395, 408, 472, 478, 481, 487, 488, 491
 - assumptions about future trends, 405-406
 - in Australia/New Zealand region, 524, 525, 529
 - in coastal areas, 43, 334-335, 338, 393, 414
 - costs, 415
 - current sensitivity/vulnerability, 396-405
 - disasters and, 338, 393, 635
 - drought, nutrition and food security, 399-400, 407, 413-414
 - in Europe, 51, 546, 557-558
 - food safety, 400
 - future impacts and vulnerabilities, 43, 47, 372, 393, 406, 407-415, 787, 828
 - heat and cold health effects, 31, 393, 396-397, 396-398, 407, 411, 632
 - heatwaves and, 396-397, 413, 632
 - impact assessments, regional, 394, 395, 409-412

impacts, direction and magnitude of, 418
 introduction, 393-395
 in Latin America, 395, 403, 405, 408, 583, 584, 586-588, 599-601, 603-604
 methods and gaps in knowledge, 394-395
 modelling/projections, 405-415, 413
 monitoring of diseases, 43, 491
 national and international programmes, 43
 in North America, 55, 619, 620, 625, 632, 635
 observed changes, 31, 82, 107-109
 occupational health, 405
 pathways of climate change effects, 396
 in polar regions, 657, 671-672
 public health administration, 415-417
 in small islands, 58, 689-690, 701
 sustainable development, 418-419
 ultraviolet radiation and, 405
 uncertainties and research priorities, 419
 vector-borne, rodent-borne and other infectious diseases, 403-405, 409-410
 vulnerability/risk, 407-415, 787
 vulnerable populations and regions, 412-415
 water and, 400-401, 413
 wind, storms and floods, 393, 398-399
See also Diseases; specific diseases

Human migration. *See* Migration, human

Human population

in Africa, 441
 in Asia, 477, 479, 484, 488, 491
 in Australia/New Zealand region, 509, 510, 516, 522
 in coastal areas, 40, 317, 318, 319, 323, 327, 346
 as driver of water use, 182
 global, 406, 816
 as key future condition, 363-364
 in Latin America, 587, 595
 population-environment interactions, 441
 urban population, by size-class of urban centre, 363

Human settlements

adaptation, 381-382
 in Africa, 439-440, 450
 in Asia, 472, 485, 491, 493
 in Australia/New Zealand region, 521-522
 in coastal areas, 81, 317-318, 331, 333-334, 359, 791
 future impacts and vulnerabilities, 41-43, 46-47, 371-373
 inertia in, 317-318
 informal settlements, 372, 373-374
 in North America, 620, 625-626, 632-633, 633
 in polar regions, 56, 376, 656, 657, 661
 rural settlements, 282, 383, 413, 491-492, 625
 in small islands, 689, 690, 693, 695, 700-701
 urban settlements, 361, 363, 371, 372
See also Construction; Industry, settlement and society;
 Urban settlements

Human systems*, 790-791

adaptive capacity, 798
 changes in, 83
 context for, 361, 366, 374
 responses to climate change, 81-82, 366

scale and factors in, 366

See also Adaptation; Industry, settlement and society

Hunger, risk of, 275, 298, 299, 300, 482-483

global-scale projections, 38, 813, 824, 825

See also Food security; Food supply

Hurricanes

costs of, 369, 376, 377, 489, 626, 798
 human health impacts, 399
 Hurricane Andrew, 369
 Hurricane Catarina, 585
 Hurricane Georges, 362
 Hurricane Gudrun, 290
 Hurricane Ivan, 693, 701, 702
 Hurricane Katrina, 332, 333, 369, 377, 399, 625, 635, 815
 Hurricane Katrina, flood depths, 360, 414
 Hurricane Mitch, 376, 376, 730
 Hurricane Rita, 92, 399
 impacts, 399, 625-626 (*See also specific hurricanes*)
 mortality of wild organisms, 216
 in North America, 621, 625-626, 627 (*See also specific hurricanes*)
 projected changes, 54
 storm surge and, 92
 tourism impacts, 336
See also Extreme weather events; Tropical cyclones

Hydrographic events*, 236

Hydrological systems*, 81, 90-92

adaptation and mitigation in, 759-760
 in Africa, 446
 in Asia, 471-472, 477, 483-484, 490-491
 observed changes, 28
 in polar regions, 56, 655, 662, 664-665
 rain-to-snow ratio, 662
See also Water resources

Hydrology. *See* Freshwater resources and management;
 Hydrological systems; Water resources

Hydropower generation, 193, 367, 760

in Africa, 768-769
 in Asia, 483
 climate-related impacts on, 626
 development decisions and, 818-819
 in Europe, 52, 543, 556
 in Latin America, 586, 589, 591, 597-598
 in North America, 619, 626, 628, 634, 818-819
 projected changes, 36

Hypolimnetic* oxygen concentration, 233

Hypoxic events*, 235

See also Eutrophication

I

Ice caps*, 28, 48, 86-88, 449

Ice cover, 86-88

Ice jams, 89, 484

Ice, sea. *See* Sea ice

Ice sheets*, 64, 86-88, 661-662

Antarctic, 64, 73, 655, 656, 663, 781, 789, 793-794, 800
 deglaciation, impacts of, 41, 64
 deglaciation, thresholds for, 41, 73, 781, 793, 797, 800

Greenland, 64, 73, 74, 655, 656, 657, 661-662, 781, 789, 793-794, 800
 observed changed, 28, 793
 projected scenarios, 793-794
 sea-level rise and, 41, 317, 346, 793
 vulnerability/risk, 64, 74, 781, 789, 793-794

Ice shelves*, 28, 86, 674-675

Immigration/migration

in Australia/New Zealand region, 522, 531
 in coastal areas, 320, 323, 331, 333-334
 in North America, 627, 632
See also Migration, human

Impact assessment*, 136-137

characteristics summarised, 137
 distribution and aggregation of impacts, 784, 825
 global warming timeline and, 140
 methods, 136-137
 as top-down approach, 136, 748-749
 uncertainties and, 141
See also CCIAV assessment; Vulnerability assessment

Impacts*, of climate change, 26-31

aggregate, 64, 75, 784, 787, 790, 796-797, 821-825
 assessment of (*See* Impact assessment; Vulnerability assessment)
 costing, 64-65
 cumulative vs. systematic, 365
 current knowledge about future impacts, 35-65
 definition, 781, 782
 direct and indirect, 362-363, 364, 821
 disproportionate, 55, 363, 625
 distribution of, 64, 65, 75, 781, 784, 786, 790-791, 796
 ecosystems, global synthesis, 239-245
 gender aspects, 729, 730
 global, 821-825
 global, associated with temperature increases, 64, 66, 828-829
 global, of polar region/cryosphere changes, 56-57, 655, 660, 661-662, 667-668
 global-scale, by 2080, 824
 key impacts/vulnerabilities, 73-75, 781, 783-797
 multiple stresses and, 813, 816-819
 non-climate factors and, 135
 regional, associated with temperature increases, 829
 spatially-explicit methods, 824-825, 836
 summarised, 44-47, 59-63, 66-68
 unavoidability of, 65-69, 782, 813, 827 (*See also* Mitigation)

See also specific systems and regions; Vulnerability assessment

Inca civilization, 605

Income gap, 364

India

adaptive capacity to multiple stresses, 71
 agriculture, 719, 729, 730
 aquaculture, 281
 disaster preparedness, 378
 globalisation/trade, 719, 729, 730
 heatwaves, 396, 478

human health, 395, 399, 409, 413, 487

human population, 488

malaria, 395, 409, 413

megadeltas, 496

projected crop yields, 297

water resources, 477, 481, 483, 484

wetlands, 234

See also Asia

Indian Ocean

climate regimes, 691

relative sea-level rise, 692

tropical storms, 692

Indian Ocean Dipole (IOD), 319

See also Modes of climate variability

Indigenous peoples*, 31, 74, 81

adaptation, 82, 416, 673-674, 719, 728, 729-730

adaptive capacity, 509, 522, 661, 728, 729-730

in Africa, 456-457

in Australia/New Zealand region, 509, 522-523, 524

changes in livelihood strategies, 82, 673, 719

economies of, 82, 103, 373, 625

human health, adaptation measures, 416

knowledge systems of, 456-457, 523, 666, 673-674, 832, 833

in Latin America (pre-Colombian), 605

in North America, 55, 619, 625, 639, 719, 730-731

in polar regions, 31, 56, 82, 657, 659, 661, 673-675, 730-731

resilience of, 56, 655, 673, 674

vulnerability/risk, 74, 788, 791, 796

Industrial Revolution*, pre-industrial temperatures, 783

Industry, settlement and society, 41-43, 46-47, 357-390

adaptation, 359, 379-384

adaptation, key issues, 383-384

adaptation, local government and, 382

assumptions about future trends, 363-364

costs and socio-economic issues, 362, 365, 376-379

current sensitivity/vulnerability, 361-363

direct and indirect climate change impacts, 367

environmental migration, 365

extreme weather events and, 41, 359, 362, 369, 372, 377

future impacts and vulnerabilities, 41-43, 46-47, 361, 364-376

human settlement, 371-373

human systems in context, 361, 366, 374

industry, 366-367, 378-379

insurance, 369-370

introduction, 359-361

linkages, 43, 359, 362, 365, 366, 374, 382

multiple stresses, 361, 372, 373, 374-376, 377

retail and commercial services, 368

sanitation and urban drainage, 371

scale, 360, 366

services, 367, 379-381

social issues, 373-374, 382-383

social systems, 362

sustainable development, 384

thresholds, 359, 361, 365

- tourism, 363, 368-369
 trade, 367-368
 transportation, power and communication infrastructures, 371
 uncertainties and research priorities, 378, 385
 utilities/infrastructure, 359, 362, 365, 370, 374, 381
 vulnerability/risk, 31, 43
 water supplies, 370-371
See also Construction; Human settlements; Urban settlements
- Infectious diseases***, 393, 403-405, 407, 418
 in Australia/New Zealand region, 524
 bird migration and, 403
 climate-related factors and, 478
 current sensitivity/vulnerability, 403-405
 drought and, 399-400, 478
 in North America, 625
 phytoplankton blooms and, 487
 projections, 43
See also Diseases; Human health; Vector-borne diseases; Water-borne diseases; *specific diseases*
- Infrastructure***, 359, 365, 367
 adaptation, 381
 adaptation costs and benefits, 725
 in Africa, 439-440, 441, 450, 453
 in Asia, 471, 488-489, 492
 in Australia/New Zealand region, 50, 509, 525, 529
 in coastal systems, 331, 333-334
 deterioration/damage of, 88, 362, 661, 675
 extreme events and, 625-626
 freshwater resources/management, 36, 175, 191
 future impacts and vulnerabilities, 359, 370, 374, 787
 lifetimes, 638
 linkage systems, 362
 in North America, 55, 619, 625-626, 632, 633, 635, 636, 638
 in polar regions, 376, 655, 661, 675
 in small islands, 57, 689, 690, 702-703
 sustainable development and, 639
 transport, power and communications, 371, 556
 vulnerability/risk, 787
 water-supply, 36, 365, 371
See also Human settlements; Transportation; *specific regions*
- Insect pests**, 38, 107, 400, 483
 damage control, 295
 distribution, transmission and seasonality of, 393, 404, 435, 437-439, 446, 487
 forest infestations in North America, 56, 218, 619, 623, 624, 631
 impacts on coffee growing, 597
 impacts on food, fibre and forest products, 217, 218, 283, 290
 pine and spruce beetles, 107, 228, 283, 623, 624, 631, 667
 spread of, 792
 spruce budworm, 218, 623
See also Disturbance regimes; Insects
- climate change impacts on, 512
 evolutionary processes, 104
 impacts on food, fibre and forest products, 217, 218, 283, 299
 impacts on forests, 228, 623, 624
 impacts on livestock, 555
 morphology and reproduction, 103
See also Disturbance regimes; Insect pests; *specific insects*
- Insurance**, 489, 735
 adaptation, 380-381, 723
 catastrophe models, 337
 disaster losses, 110, 377
 future impacts and vulnerabilities, 369-370, 790
 Hurricane Katrina claims, 377
 non-availability/withdrawal of, 380-381
 property insurance in Europe, 557, 561-562, 565
 reinsurance, 110, 369, 370, 376
 in small islands, 707
- Integrated assessment***, 136, 139, 337, 822
 adaptation and mitigation inter-relationships, 754-760
 characteristics summarised, 137
 global warming timeline, 140
See also Integrated Assessment Models (IAMs)
- Integrated Assessment Models (IAMs)**, 155-156, 749, 754-756, 757, 770-771
- Integrated Coastal Zone Management (ICZM)**, 340-341, 491
- Integrated Water Resources Management (IWRM)***, 196-197, 200, 370-371
- Inter-relationships.** *See* Adaptation and mitigation inter-relationships
- Inter-tropical Convergence Zone (ITCZ)**, 584
- Interdecadal Pacific Oscillation (IPO)**, 691
See also Modes of climate variability
- Intergenerational ethics**, 835
- International agreements**, 72, 495, 748
- International Convention for the Prevention of Pollution from Ships**, 495
- International Federation of Red Cross and Red Crescent Societies (IFRCRCS)**, 442, 732
- International Tropical Timber Organization (ITTO)**, 495
- Inuit people**, 719, 729-730
- Invasive species and invasive alien species (IAS)***, 103, 216, 218, 232, 247
 in Australia/New Zealand region, 512, 517, 518, 520
 direct and indirect effects of, 84
 in Europe, 551, 554
 in North America, 619, 635, 640
 observed changes, 95
 in small islands, 58
- Irrigation**
 wastewater re-use for, 418
 water demand for, 36, 481, 482
 water use for, 179, 182, 192, 284, 550, 559
- Irrigation water-use efficiency***, 284
- Islands.** *See* Small islands
- Isohyet***, 224
- Ixodes scapularis***, 625, 632

J**Japan**

coastal flooding, 324
 construction, 379
 cyclones/typhoons, 473, 489
 floods, 484-485
 growing season, 99
 heat islands, 489
 human health, 395, 487
 phenology, 100, 478
 precipitation, 481
 rice yields, 480
 sea-level rise, 484-485
 ski industry, 489
 temperature, 479, 481
See also Asia

Joint attribution*, 83, 112-116

See also Detection and attribution

K**Kala-azar**, 403**Kelp**, 94, 95**Keystone species***, 230, 241, 658**Kilimanjaro, Mt.**, 48, 439, 440, 449**Kiribati**, 689, 697, 698, 706, 708, 792**Krill**, 56, 88, 95, 236, 521, 655, 660, 669**Kyoto Protocol***, 495, 748, 752, 754, 766**L****La Niña**. *See* El Niño Southern Oscillation (ENSO)**Lakes**, 233-234, 664

chemistry, 91
 epishelf, 90
 eutrophication, 551, 553
 future impacts, 184
 lake ice, 83, 88-89, 664
 observed changes, 28, 81, 90, 91, 97, 98, 177
 phenology, 97, 98
 thermal structure, 91
See also Freshwater resources and management; Glacial lakes; Thermal expansion; Thermal stratification

Land cover change, 49, 84, 816

carbon balance and, 793
 direct and indirect effects, 84
 in Latin America, 53, 590
 projections, 157

Land degradation, 229, 518-519, 520

See also Erosion

Land-use change, 49, 84

direct and indirect effects, 84
 effects on ecosystems, 213, 216-217, 237-239, 241
 effects on forests, 229-230
 future scenarios, 155-156, 157
 in Latin America, 53, 583, 590, 594-595, 606

Landslides*

in Asia, 472, 473, 477
 in Australia/New Zealand region, 50

in Latin America, 599

Large-scale singularities*, 35, 64, 75, 135, 160, 797, 802, 828

See also Abrupt climate change

Last glacial maximum*, 214, 220**Latin America**, 53-55, 61, **581-615**

adaptation, 55, 583, 591-593, 600-604, 605, 722
 adaptive capacity, 584, 605
 agriculture, 54, 281, 584, 586, 591, 592, 597, 598, 601-602
 Amazon forest, 218, 241, 243, 281, 594-595, 596
 aquaculture, 593
 assumptions about future trends, 593-596
 biodiversity, 583, 586, 590, 592, 596, 603, 791
 case studies, 604-605
 Chacaltaya glacier, Bolivia, 87
 climate, 53, 583, 585-587, 588-589, 593-594
 climate, possibility of rapid changes, 596
 climate variability, 54, 583, 586, 591
 coasts, 54, 584, 586, 593, 599, 600, 602-603
 current sensitivity/vulnerability, 584-593
 deforestation, 53, 583, 590, 594-595, 604, 606
 dengue fever, 404, 586, 591, 593, 599
 development, 595-596
 distinctions of, 584-585
 droughts, 400, 586
 ecosystems, natural, 583, 584, 586, 592, 596, 601
 El Niño/ENSO in, 585, 586, 591
 extreme weather events, 53, 583, 585, 594
 fires, 53, 596, 600
 fisheries, 281, 584, 587, 590, 603
 floods, 398, 586, 588
 food security, 602
 forests/forestry, 106, 584, 592, 594-595, 602
 future impacts and vulnerabilities, 53-55, 61, 242-244, 596-600, 788, 791, 825, 829
 glaciers, 87, 584, 589, 598
 HIV/AIDS in, 587
 hotspots, 604, 606
 human health, 395, 403, 405, 408, 583, 584, 586-588, 599-601, 603-604
 human population, 587, 595
 hydropower generation, 586, 589, 591, 597-598
 introduction, 583-584
 land-use changes, 53, 583, 590, 594-595, 606
 livestock, 54, 583, 586, 602
 malaria, 408, 584, 586, 591, 593, 599
 migration, 587, 595
 non-climatic stresses, 587-588
 observed changes, 30, 87, 106, 115-116, 588-591
 past and current trends, 588-591
 pollution, 587-588
 pre-Columbian communities, adaptation practices, 605
 precipitation, 53, 151, 583, 588, 589, 593-594
 schistosomiasis in, 405
 sea-level rise, 54, 346, 584, 586, 589, 791
 socio-economic factors, 590-591
 summary of knowledge in TAR, 584
 sustainable development, 55, 299, 584, 606-607

- temperature, 53-54, 150, 583, 589, 593-594, 606
 tourism, 587, 599
 uncertainties and research priorities, 607
 urban indicators, 363
 urbanisation, 587, 590
 vulnerability/risk, 53-54, 596-600, 788, 791
 water resources, 586, 592-593, 597-599, 602, 605
 water stress, 54, 583, 597-598
 weather and climate forecasting, 591-592, 604
 weather and climate stresses, 585-587
See also specific countries
- Leaching***, 52, 228, 294, 542, 543, 545
Leaf area index (LAI)*, 220, 227, 240
Lebanon, water resources, 483
Legumes*, 54, 106, 287, 583, 590, 607
Leishmaniasis, 403, 557, 587, 593, 599
Lemmings, 658, 666
Lentic (still-water) systems, 664
Leptospirosis, 404, 587, 588, 701
Lianas, 104
Likelihood*, 27, 786, 799
See also Confidence; Uncertainty
- Linkages/linkage systems**, 43, 359, 362, 365, 366, 374, 382
Littoral zone*, 599
Livestock
 adaptation, 295, 721
 in Africa, 278, 287, 447, 448
 in Asia, 287, 482, 483
 in Australia/New Zealand region, 283, 520
 diseases, 447, 555
 drought mortality, 278
 in Europe, 555, 565
 forage production for, 277, 277, 480, 486, 555
 heat stress mortality, 555, 586
 insect pests and, 283, 520
 in Latin America, 54, 583, 586, 602
 observed changes, 105, 106
 production, 285-288
 projected changes, 38
 summary of impacts, 301, 302
 vulnerability/risk, 790
- Low-lying areas.** *See* Coastal systems and low-lying areas
Lyme disease, 108, 410, 557, 619, 625, 632
- M**
- Madden-Julian Oscillation (MJO)**, 691
Mainstreaming, 471, 513, 637-638, 639, 732, 768
 adaptation into planning/development decisions, 55, 65, 818, 832-836
 barriers to, 835-836
 definition, 749
- Maize**, 106, 297, 448, 452, 480, 597
 projected crop yields, 54
 sensitivity to climate change, 39
 temperature and, 286
- Malaria***, 394, 400, 404, 557, 689, 701
 adaptation/mitigation decisions and, 755
 in Africa, 48, 108-109, 400, 404, 406, 408, 409, 437-439, 446
 in Asia, 408, 478, 487
 avian, 700
 climate change impacts on, 408, 409-410, 418
 climate-related factors and, 48, 478
 distribution, transmission and seasonality of, 393, 404, 435, 437-439, 446, 487
 epidemic areas in Africa, 438, 446
 future risks, 406, 407-408
 geographic range of, 393, 400, 403, 404, 437-439
 in Latin America, 408, 584, 586, 591, 593, 599
 observed changes, 108-109
See also Diseases; Human health
- Maldives**, 694, 703-705, 708
Malnutrition, 393, 394, 399-400, 407
 projections, 48, 298, 299, 418
 in small islands, 701
- Mammals**
 in Africa, 435, 449
 in Australia/New Zealand region, 512
 marine, 56, 236, 565, 668-669, 696
 migration corridors, 525
 observed changes, 100, 103
 in polar regions, 660, 666
See also specific mammals
- Management.** *See* Governance/government; Technology
Managed systems, 31, 51, 71
 definition, 82
 observed changes in, 79-131
See also Agriculture; Observed changes and responses
- Manatees**, 449
Mangrove forests, 92, 317, 329, 696
 in Africa, 449
 in Asia, 49, 471, 472, 477, 481, 485, 492
 conservation of, 492, 495
 in Latin America, 586, 590
 observed changes, 816
- Marine ecosystems**, 213-214, 234-236
 adaptation, 295, 719
 globalisation and, 719, 730
 observed changes, 28, 81, 94-96, 115-116
 in polar regions, 655, 658-660, 668-671
 projected changes, 38, 49
 resilience of, 719
 vulnerability/risk, 74, 788
See also Coastal systems; Fisheries; Oceans
- Marine fisheries.** *See* Fisheries
Marine mammals, 56, 236, 565, 668-669, 696
See also specific mammals
- Market impacts***, 74, 75, 137, 781, 782, 787, 790-791, 796, 798
- Mediterranean islands**, 691, 696
See also Small islands
- Mediterranean region.** *See* Europe
Mediterranean-type ecosystems (MTEs), 214, 226-227
Megadeltas, 40, 41
 in Asia, 40, 64, 279, 327, 484-485, 493, 496
 in polar regions (Arctic), 674

- sea-level rise impacts, 484-485
vulnerabilities, 41, 64, 377
See also Ganges-Brahmaputra delta
- Mekong River/delta**, 279, 327, 483, 485, 489, 496
See also Deltas; Megadeltas
- Meloidogyne incognita**, 597
- Meningitis***, 399-400, 438, 439
- Mental disorders, as impact of disasters**, 399
- Meridional overturning circulation (MOC)**. *See* Thermohaline circulation (THC)
- Meta-analysis**, 112-116
- Methane**
release from methane hydrates, 662, 793
release from permafrost, 38, 88, 213, 231, 662, 667, 793
social cost of, 822
warming influence of, vs. carbon dioxide, 655, 662
See also Greenhouse gases (GHGs)
- Methane hydrates**, 662, 793
- Methods**. *See* Assessment methods
- Mexico**
adaptation, 722, 734
agriculture, 586, 592
See also Latin America
- Microclimate***, 84, 101, 102, 439
- Mid-latitude islands**, 689, 695
See also Small islands
- Migration**, 237
of African ungulates, 226
of birds, 100, 223-224, 230, 239, 403, 449, 625, 666, 696
climate change impacts on, 237, 239, 509
drought and, 399
environmental, 365, 368
of fish, 98, 333
habitat fragmentation and, 783
impacts of polar region changes on, 662, 666
of wetland species, 234
See also Migration, human
- Migration corridors**. *See* Ecological corridors
- Migration, human**, 365, 728, 736
as adaptation strategy, 452, 492, 728, 736
in Africa, 452
in Asia, 488, 491-492
in Latin America, 587, 595
rural-to-urban, 488, 492
from small islands, 697, 708, 736
vulnerability/risk, 787
- Millennium Development Goals (MDGs)***, 75-76, 813, 819, 826-827, 834-835
targets, likelihood of meeting, 75-76, 813, 826-827
in coastal systems, 345
food security, 456
impacts of climate change on, 458
indicators used in, 834-835
list of, 826
water sector contribution to, 175, 200
See also Development; Sustainable development
- Millennium Ecosystem Assessment (MA)**, 139, 147, 816
alternate development pathways, 818
nitrogen fertiliser use, 182
water use, 182
See also Biodiversity; Ecosystems
- Millet**, 49, 452, 482, 726
- Mining industry**, 522
- Mires***. *See* Bogs
- Mississippi River/delta**, 326, 332, 333, 377
See also Deltas; Megadeltas
- Mitigation***, 70-73, 76, 798-803
adaptive capacity and, 827-832
capacity, 763
costs and benefits, 749, 756-757, 802
crop production and, 284
damages avoided, 756-757
definitions, 749, 750, 763
differences, similarities and complementarities, 750
global vulnerability projections with and without mitigation, 830-831
implementation, 747, 766-770
indigenous knowledge and, 456-457, 832, 833
inter-relationships with adaptation (*See* Adaptation and mitigation inter-relationships)
introduction, 748-750
methods in mitigation assessment, 798-803
regions and sectors, 757-760
response capacity and development pathways, 747, 763-766, 767
risk management assessment and, 139-141
risk reduction by, 782
risks of delay in, 782, 802, 804
scales, 747, 749, 753-754, 767-769
scenarios, 35, 139-141, 158-160, 799-803, 813, 830-831
substitutability for adaptation, 749, 753-754, 766-767
synergies, 72, 747, 754-756, 762-763, 813, 827-832
trade-offs, 747, 754-756, 762
See also Adaptation; Adaptation and mitigation inter-relationships; Carbon dioxide; Greenhouse gases (GHGs); Overshoot scenarios
- Mixed layer***, 91
- MOC (meridional overturning circulation)**. *See* Thermohaline circulation (THC)
- Models**. *See* Climate models
- Modes of climate variability**, 794-795
See also Climate variability; El Niño Southern Oscillation (ENSO); Indian Ocean Dipole (IOD); Interdecadal Pacific Oscillation (IPO); North Atlantic Oscillation (NAO); Northern Annular Mode; Pacific Decadal Oscillation (PDO); Southern Annular Mode
- Molluscs**, 236, 243, 291, 292
See also Pteropods
- Mongolia**, 486, 487
See also Asia
- Monsoons***
in Asia, 472, 484
in Latin America, 585
projected changes, 795
- Montane* ecosystems/species**, 227, 230, 232, 243, 244
- Montreal Protocol**, 495

Morbidity*

diarrhoeal diseases, 50, 471, 478, 481
 extreme events and, 701
 temperature extremes and, 625

Morphology*, 103**Mortality***, 43, 393

child mortality, 394, 401
 cold-related, 51, 108, 393, 407, 408, 411, 418, 557
 diarrhoeal diseases, 50, 471, 478, 481
 extreme weather events and, 620, 626, 701
 global climate-related, 43, 791
 global climate-related, costs of, 415
 heat-related, 108, 396-398, 487, 519, 524, 525, 557, 625, 733
 risk areas in Africa, 438
See also Diseases; Heat stress; Heatwaves; Human health

Mosquito-borne diseases, 400, 524, 625

See also Dengue fever; Malaria

Mosquitoes, 403, 487

Anopheles spp., 108, 416, 439
Culex, 625
 pitcher plant, 104
Stegomyia aegypti (formerly *Aedes aegypti*), 403-404, 524
Wyeomyia smithii, 403

Mountain regions, 228, 232-233

adaptation, 52, 559
 adaption option limits/limitations, 52, 543, 559
 adaptive capacity, 52
 in Africa, 48, 439, 440, 449
 biodiversity, 48, 52
 in Europe, 52, 543, 551-552, 559, 565
 human health, 414
 observed changes, 102-103
 vulnerability/risk, 52, 788

Mountain Wheatear, 224**Mouse (*Mus musculus*)**, 103**Multilateral Environmental Agreements**, 72, 495**Multinucleated sphere X (MSX) disease**, 292**Multiple stresses**, 78, 361, 372, 373, 813, 816-819

adaptation, 359, 384, 816-819
 adaptive capacity and, 719, 729
 in Africa, 48, 69, 435, 436, 440, 442, 454, 457
 in Asia, 50, 471, 492
 catalogue of, 816
 in coastal systems, 40, 317, 336
 in ecosystems, 37, 213, 215, 241, 246-247
 in food, fibre and forest products, 277-278, 279, 290
 in India, 71
 in industry, settlement and society, 359, 361, 372, 373, 374-376, 377
 in North America, 623, 624
 uncertainties caused by, 783
 vulnerability and, 75

Musk oxen, 666, 667**N****Narwhal (*Monodon monoceros*)**, 236, 669**Nasca civilization**, 605**National Adaptation Programmes (Plans) of Action (NAPAs)**, 69, 719, 731-732**Natural systems**

interaction of with human sub-systems, 318
 observed changes in, 79-131
See also Observed changes and responses; *specific systems and regions*

Navigation

International Convention for the Prevention of Pollution from Ships, 495
 in North America, 56, 619, 628, 635
 in polar regions, 88, 676

NDVI. *See* Normalised Difference Vegetation Index**Nepal**

Tsho Rolpa project, 719, 721, 723
 water resources, 477
See also Asia

Net biome production (NBP)*, 221**Net ecosystem production (NEP)***, 228**Net primary production (NPP)***

in Asia, 481
 estimated changes (1982-1999), 106
 in Europe, 552
 global, 213, 220, 234
 in lakes and rivers, 234
 in North America, 621, 622, 629-630
 observed changes, 106

The Netherlands

adaptation, 547, 719, 722, 724
 cost of nature conservation, 247
 human health, 395, 414
See also Europe

New Zealand. *See* Australia/New Zealand region**Nile River/delta**, 143, 339, 445, 485

See also Deltas; Megadeltas

Nipah virus, 404**Nitrogen**, 153, 221, 816

leaching, 52, 294, 542, 543, 545

Nitrogen fertiliser use, 182**Nitrogen oxides (NO_x)***, 278**No regrets policy***, 246, 472, 633**Non-climate drivers of change**, 26-28, 84-85, 135**Non-linearity***, 141, 148, 215, 216, 219**Non-market impacts***, 790-791**Normalised Difference Vegetation Index (NDVI)***, 657**North America**, 55-56, 61-62, **617-652**

adaptation, 619, 620, 623, 633, 635-638, 722
 agriculture, 620, 623-624, 627, 631, 636
 assumptions about future trends, 626-627
 case studies, 623, 628, 633, 639
 cities, integration of impacts, 633
 climate trends, 626-627
 coastal regions, 55, 619, 621, 622-623, 626, 630
 construction, 379, 635
 costs of extreme weather events, 332, 338, 619, 621, 626, 630
 current sensitivity/vulnerability, 620-626
 droughts, 619, 622, 623, 624, 625, 626

- ecosystems, 619, 620, 621, 622, 629-630, 635
- El Niño Southern Oscillation (ENSO), 623, 627, 630
- energy, industry and transportation, 626, 630, 633, 634-635, 636
- extreme weather events, 55, 619, 621, 625-626, 632-633
- fires, 31, 56, 619, 620, 621, 623, 631, 636
- fisheries, 620, 624, 631-632
- floods, 55, 620, 626, 630, 633
- forestry, 218, 620, 622, 624, 630, 636
- freshwater resources, 619, 621-622, 627-629, 628
- future impacts and vulnerabilities, 55-56, 61-62, 242-245, 619, 627-635, 825, 829
- Great Lakes, 56, 619, 627-629, 628, 634
- heatwaves, 619, 620, 632, 733
- human health, 55, 619, 620, 625, 632, 635
- human settlement, 620, 625-626, 632-633, 633
- hurricanes, 92, 369, 399, 621, 625-626, 627 (*See also specific hurricanes*)
- indigenous peoples, 55, 619, 625, 639, 730-731
- infrastructure, 55, 619, 625-626, 632, 633, 635, 636, 638
- interacting impacts, 635
- introduction, 619-620
- multiple stresses, 623, 624
- observed changes, 30, 115-116
- phenology, 99-100, 621, 622, 631
- precipitation, 151, 621-622, 621, 627
- resources, 620
- sea-level rise, 346, 619, 620, 621, 623, 630
- social, economic and institutional context, 627
- soil erosion, 190
- sustainable development, 639
- temperature, 55, 150, 619, 620, 621, 626-627
- tourism and recreation, 626, 627, 634
- uncertainties and research priorities, 639-640
- urban indicators, 363
- vulnerabilities, 619, 620-626, 627-635
- water resources, 55-56, 629, 633
- wetlands, 620, 630
- wildlife, 622
- See also* Canada; United States
- North American Free Trade Agreement**, 731
- North Atlantic Oscillation (NAO)***, 292, 319, 550, 551
 - marine ecosystems and, 96, 101
 - projected changes, 794
 - See also* Modes of climate variability
- North Atlantic Sub-tropical High (NAH)**, 691
- Northern Annular Mode**, 794
 - See also* Modes of climate variability
- Northern Hemisphere temperature (NHT)**, 96
- Nutrition**, 399-400
 - See also* Malnutrition; Undernutrition
- O**
- Observed changes and responses**, 26-31, 79-131, 781
 - adaptation, regional, 111-112
 - agriculture and forestry, 81-82, 104-107
 - attribution to temperature, 81, 112-116
 - biological systems, 83, 94-107, 115-116
 - climate and non-climate drivers, 83-85
 - coastal processes and zones, 81, 92-94, 115
 - confidence, 85
 - cryosphere, 81, 85-90, 115
 - disasters and hazards, 109-111
 - geographic locations and associated temperatures, 115-116
 - geographical balance in data, lack of/need for, 82, 117
 - human health, 82, 107-109
 - hydrology and water resources, 81, 90-92
 - introduction, 82-83
 - larger-scale aggregation and joint attribution, 82, 83, 112-116
 - learning from, 117
 - linking climate-change causes with, 29
 - locations of significant changes in, 30
 - marine and freshwater biological systems, 81, 94-98, 115-116
 - meta-analysis studies, 112-116
 - methods of detection and attribution, 83-85
 - no change, evidence of, 85
 - physical systems, 83, 85-92, 115-116
 - socio-economic indicators, 82, 111-112
 - terrestrial biological systems, 81, 98-104, 115-116
 - vulnerability, adaptation and research needs, 117
 - See also specific systems and regions*
- Occupational health**, 405
- Ocean acidification***, 28-31, 38, 81, 234, 236, 320, 793
 - in Australia/New Zealand region, 517, 527
 - coral bleaching and, 330
 - coral calcification and, 38, 94, 235
 - in polar regions, 655, 658
 - projections, 37, 45, 235
- Oceans**, 213, 234-237
 - carbon buffering, 38
 - carbon stocks, 38, 213, 214
 - circulation, 662 (*See also* Thermohaline circulation)
 - food webs, 658, 669-670
 - freshening of, 88, 662
 - mixed layer, 91
 - observed changes, 81, 88
 - primary production decline, 94
 - projected changes, 662
 - warming, 656
 - water chemistry, 658
 - See also* Marine ecosystems; Ocean acidification; Southern Ocean
- OECD**. *See* Organisation for Economic Co-operation and Development
- Okanagan, Canada**, 195
- Ombrotrophic bog***, 230
- Oncomelania**, 487
- Opportunity costs***, 763, 826
- Optimality**, 749
- Organisation for Economic Co-operation and Development (OECD)**, 755, 768
- Overshoot scenarios**, 801-802, 804
 - See also* Mitigation
- Oxygen deficiency**

- in fish-spawning habitats, 665
in oceans and coastal areas, 235
- Oysters**, 292, 400
- Ozone***, 401-402, 413
effects on crop yields, 276, 278
future scenarios, 153, 372
ground-level, health impacts of, 393, 401-402, 408-411, 412, 588, 619, 632
interaction in carbon dioxide effects, 40, 276, 278
stratospheric, impacts of loss of, 600-601
tropospheric, warming associated with, 480
- P**
- Pacific Decadal Oscillation (PDO)**, 95, 101, 292, 319
See also Modes of climate variability
- PAGE2002 model**, 821-823
See also Integrated assessment models (IAMs)
- Pakistan**
human population, 488
migration, human, 488
water resources, 477
See also Asia
- Palm products industry**, 333, 450
- Paludification***, 229, 231
- Participatory processes**, 813, 832-834
- Particulates***, 394, 402, 588
- Pastoralists**, 39, 279, 281-282, 657
coping/adaptation strategies, 293, 457
- Patagonian toothfish (*Dissostichus eleginoides*)**, 669, 676
- Peat/peatlands***, 234, 239, 477-478, 543, 558, 792, 795
- Pelagic communities***, 94, 95, 234, 236
in polar regions, 658, 659
range shifts in, 659
See also Fish; Fisheries; Pelagic fisheries
- Pelagic fisheries**
in Australia/New Zealand region, 521
observed changes, 97
See also Fish; Fisheries; Pelagic communities
- Penguins**, 660
- Perkinsus marinus**, 292
- Permafrost***, 49, 214, 221, 486-487, 655, 660-661, 663
adaptation to melting of, 719, 722
in Asia, 49, 472, 477, 486-487
carbon stocks, 214, 221, 231
in Europe, 51, 52, 543, 551, 558, 559, 565
infrastructure and, 632, 635, 661, 675
interactions/feedbacks, 249, 661
lake formation and drainage, 90, 91
methane release from, 38, 88, 213, 231, 662, 793
in North Americas, 632, 635
observed changes, 28, 81, 83, 88, 177, 655
projected changes, 40, 49, 486-487, 663
temperatures, 477
thawing, 221, 237, 551, 558, 655, 656, 663, 675
vulnerability, 660-661
See also Polar regions
- Pesticides**, 175, 182, 188
- pH, oceanic projected**, 37, 45, 235
- See also* Ocean acidification
- Phenology***, 31, 97, 99-100, 101
agricultural impacts, 31, 81, 105
in Asia, 100, 478
in Australia/New Zealand region, 100
COST725 project, 112, 113
in Europe, 51-52, 99-100, 101, 113, 546, 551, 552, 553, 558
insect pest activity and, 283
in North America, 99-100, 283, 621, 622, 631
observed changes, 28, 81, 83, 96, 98, 99-101, 113-114
pelagic communities, 95, 97
See also Growing season
- Phosphorus**, 816
- Photochemical smog***, 487, 557-558
- Photosynthesis***, 104, 329
See also Growing season
- Physical systems**, 26, 28
linking climate-change with observed effects, 29
locations of significant changes in, 30
See also Detection and attribution; Joint attribution; Observed changes and responses
- Phytoplankton***, 56, 234, 236, 414, 793
observed changes, 91, 96
in polar regions, 56, 659
productivity in lakes, 91
sea surface temperature and, 487
See also Algal blooms; Zooplankton
- Pied flycatchers (*Ficedula hypoleuca*)**, 101, 103, 696
- Pika (*Ochotona princeps*)**, 103
- Pine and spruce beetles**, 107, 228, 283, 623, 624, 631, 667
See also Disturbance regimes; Insect pests; Insects
- Pinnipeds**, 236
- Pitcher plant mosquito**, 104
- Plankton***, 213, 234, 295, 517
communities, 234, 236
ocean acidification and, 38
poleward shift of, 28
See also Algal blooms; Phytoplankton; Zooplankton
- Planned adaptation**, 65, 719, 731-733, 781
in Australia/New Zealand region, 509, 513, 524-525
barriers to, 525-526, 732-733
definition, 294
ecosystem management, 246-248
in Europe, 547
evaluation of, 815-816
food, fibre and forest products, 295-296
human health, 43
international and national actions, 43, 416-417, 731-733
in Latin America, 591-593
in small islands, 706
- Plant functional type (PFT)***, 219, 226, 240
- Plasmodium falciparum**, 400, 406, 407, 408
- Plasmodium vivax**, 408, 413
- Polar bears (*Ursus maritimus*)**, 88, 231, 236, 237, 668-669, 734, 792
endangerment status, 231
habitat reduction, 213

- reproductive success, 103
 vulnerability/risk, 230, 231, 240, 668-669
- Polar regions (Arctic and Antarctic), 56, 62-63, 653-685**
 acidification of oceans/seas, 655, 658
 adaptation, 82, 655, 660, 672-673
 adaptive capacity, 658-660, 661
 albedo, 655, 656, 661
 Antarctic Peninsula case study, 674-675
 aquatic productivity and biodiversity, 665
 assumptions about future trends, 661-663
 biodiversity, 667, 792
 carbon storage/flux, 662, 665, 667-668
 case studies, 673-675
 climate, environment and socio-economic state, 655, 656-658
 climate projections, 150, 151, 656-657
 coastal zone and small islands, 92, 320, 672
 current sensitivity/vulnerability, 656-661
 economies/socio-economic systems, 56, 655, 657, 661, 665-666, 668, 676
 ecosystems, 56, 665-671 (*See also* Sea-ice biome)
 feedbacks to global climate systems, 655, 660, 661-662, 667-668
 fish/fisheries, 49, 291, 655, 665, 669, 676
 freshwater systems, 655, 660, 663-666
 future impacts and vulnerabilities, 56, 62-63, 663-672, 788, 791, 792, 829
 glaciers, 656, 657, 661, 674
 “greening of,” 88, 655
 human health, 414-415, 657, 671-672
 human population, 657, 661
 human settlement, 56, 376, 656, 657, 661, 791
 hydrology, 655, 662, 664-665
 ice habitats, 96
 ice sheets, 64, 73, 655, 656, 661-662, 663, 781, 789, 793-794, 800
 ice shelves, 86, 674-675
 indigenous peoples, 31, 56, 82, 657, 659, 661, 673-675, 730-731
 infrastructure, 376, 655, 661, 675
 introduction, 655-656
 marine ecosystems and services, 56, 655, 658-660, 668-671
 Marion Island, 230
 megadeltas, 674
 observed changes, 30, 56, 96, 115-116
 permafrost, 655, 656, 657, 660-661, 662, 663, 675
 precipitation, 151, 657, 662
 projected changes, 62-63, 150, 151, 656-657, 662-663
 sea ice, 56, 655-656, 657, 658, 659, 662, 668-669, 792
 sustainable development, 675-676
 temperature, 150, 230, 656, 656-658, 662, 674
 terrestrial ecosystems and services, 655, 656, 658-660, 666-668
 tourism, 673, 676
 traditional ecological knowledge (TEK), 666, 673-674
 traditional economies/livelihoods, 655, 661, 665-666, 668
 transportation/navigation, 88, 676
 uncertainties and research priorities, 676-677
 vegetation, 231, 657, 658-660, 666-668
 vulnerability/risk, 64, 230, 658-661, 663-672, 788, 791, 792
 wetlands, 88, 655, 665
See also Permafrost; Tundra
- Policy-base adaptation.** *See* Planned adaptation
Policy-based assessment, 136
Policy, climate. *See* Climate policy
Pollen, 31, 103, 108, 109, 393, 558, 619, 632
 ragweed (*Ambrosia artemisiifolia*), 402-403
See also Human health; Phenology
Pollock (*Theragra chalcogramma*), 669
Pollution
 direct and indirect effects of, 84
 in Latin America, 587-588
See also Air pollution; Water pollution
Polynyas*, 669
Population. *See* Human population
Population systems*, 242-245
Portfolio, 749
Post-traumatic stress disorder, 399
Potential production*, 297
Poverty, 364, 494
 adaptation measures for, 275, 299
 adaptive capacity and, 492, 720
 in Africa, 48-49
 in Asia, 489, 492, 494
 disproportionate impacts associated with, 55, 359, 362, 363, 373-374, 399, 625, 720
 extreme event impacts, 585, 625-626
 human health and, 43, 393, 406, 478
 informal settlements, 373-374
 sustainable development and, 494
 vulnerability and, 74, 399, 489
Prairies. *See* Grasslands
Pre-industrial temperatures, 783
 probability of exceeding 2°C above, 801
Precipitation
 extremes, 187, 547
 observed trends, 177
 projected impacts and interactions, 42, 375, 795
 projections, regional worldwide, 33, 149, 151
See also Droughts; Floods; *specific regions and countries*
Primary production*, 288, 291-292
 carbon dioxide effects on, 282, 284-285
 in lakes, 97
 in oceans, 94, 234
See also Net primary production (NPP)
Probabilistic analyses, 141, 799, 800-801, 803
Probabilistic futures, 35, 135, 145, 160-161
Projections*
 climate projection, 31-35, 133-171
 climate variability and extremes, 152
 definition, 145
 temperature and precipitation, regionally, 149-150
Property rights, 816
Protozoan parasites, 292, 487

Psychological research, 735-736

Pteropods*, 213, 234, 658

Pure rate of time preference*, 822, 823

Q

Qinghai-Tibet Railway, 724

R

Rabies, 671

Radiation. *See* Ultraviolet (UV)-B radiation

Radiative forcing*

methane emissions and, 662, 667

scenario analysis and stabilisation targets, 799-802

Ragweed (*Ambrosia artemisiifolia*), 402-403

Rainfall. *See* Precipitation

Range shifts of vegetation and wildlife, 28, 213, 216, 217, 229, 232, 237, 546, 553, 622

in Africa, 449

in Asia, 471, 478

observed changes, 56, 81, 83, 102

in pelagic communities, 659

in polar regions, 56, 667

See also Extinction; Vulnerability hotspots

Rangelands*, 285-288

in Asia, 486

in Australia/New Zealand region, 513, 519-520

See also Grasslands; Savannas; Tundra

'Reasons for concern'. *See* Climate change

Recalcitrant* carbon stocks, 221

Recreation

in Australia/New Zealand region, 523

in Europe, 336, 556-557, 561

fisheries, 624

in North America, 626, 634

See also Tourism

Red tides, 485

Reference scenario. *See* Baseline/reference climate

Reforestation*, 491, 758, 759, 769

Regional climate change

distribution of impacts, 796

key vulnerabilities, 788, 791-792

observed changes related to, 85-116

projected impacts, 48-63, 824, 825, 829

synthesis of changes and temperatures, 114-116

temperature and precipitation, 33, 783

See also specific regions

Reid's paradox*, 229

Reindeer, 666, 667, 668

Reinsurance*, 110, 369, 370, 376

Relative sea level. *See* Sea-level rise

Reproduction, terrestrial organisms, 103

Reptiles, 52, 224, 243, 543, 554, 565

Research priorities/needs,

adaptation practices, options, constraints and capacity, 737

Africa, 458

Asia, 497

Australia/New Zealand, 529-531

CCIAV assessment, 161

climate change and sustainability, 836

coastal systems and low-lying areas, 345-346

ecosystems, their properties, goods and services, 249

Europe, 564-565

food, fibre and forest products, 301-302

freshwater resources and their management, 201

human health, 419

industry, settlement and society, 385

inter-relationships between adaptation and mitigation, 770

key vulnerabilities and the risk from climate change, 804

Latin America, 607

North America, 639

observed changes and responses, 117

Polar regions, 676

Small islands, 711

Reservoirs*

of carbon, 220, 234

of disease, 401, 403, 404, 405, 413

microbial load in, 401

sedimentation of, 179

water storage, 90, 176, 179, 180, 326, 401

Resilience*, 76, 673, 674

adaptation and, 721, 733-734

in Africa, 48-49, 452, 453

of Arctic indigenous peoples, 655, 673, 674

of ecosystems, exceedence projections, 37

seasonal forecasts and, 416

in small islands, 698

of subsistence/smallholder livelihood systems, 281-282

thresholds, 733-734

Resource-dependent communities, 625

Respiration*, 220, 221, 225, 226

Respiratory disorders, 372, 393, 400, 402, 523

in Asia, 487

in Latin America, 588, 600

in North America, 55, 619, 620, 632

in polar regions, 671

in small islands, 689, 701

See also Air pollution; Pollen

Response capacity, 747, 763-766, 767

Response strategies, 69, 70, 781-782, 797-804

Retail and commercial services, 368

Rhine River, 184, 193, 198-199

Rice

observed crop yields, 106, 475

projected crop yields, 54, 297, 480, 481, 583

temperature and, 286

Rift Valley Fever, 447

Riparian* systems, 56, 178, 234, 491

Risk, 753, 781

adaptation and, 781

assessment (*See* Risk assessment)

climate change, compendium of projected risks, 37, 240

communication, 143-144, 380, 735

criteria, 141, 785-786

definition, 753, 782, 786

high-risk regions, vulnerability of, 781

high-risk settlements, 359, 364

- perceptions of, 735-736, 737
- risk-sharing, 707, 813
- temperature and, 787-789
- timing and, 345, 785, 801-802
- uncertainty and, 781
- See also* Insurance; Vulnerabilities
- Risk assessment, 771, 779-810**
 - health and disease, 407-412
 - tools, 723
 - use of vulnerability assessment framework, 782
 - See also* Vulnerability assessment
- Risk management, 31, 53, 135, 139-141, 361, 724**
 - disaster risk management/reduction, 820-821
 - global warming approaches, synthesis, 140
 - sustainable development and, 384, 819-820
 - Tsho Rolpa project, Nepal, 719, 721, 723
 - for water sector, 36
- River basins**
 - in Africa, 48
 - in Asia, 471, 483, 493
 - human population in, 35
 - in Latin America, 586, 592-593
 - in North America, 193-194, 197, 627, 628, 633, 634, 818-819
 - trans-boundary, 767-769
 - water stress, 36, 179, 193-194
- River discharge*, 28, 182-184, 183-184**
 - See also* Runoff
- Rivers, 233-234**
 - acidification, 189
 - Arctic, 663-665
 - dams on (*See* Dams)
 - extreme floods, 109
 - observed changes, 28, 81, 91
 - river ice, 83, 88-89, 664
 - trans-basin diversions, 193-194, 197, 602
 - See also* Freshwater resources and management; Runoff; *specific rivers*
- Runoff*, 175, 177, 182-184**
 - in Africa, 446
 - in Asia, 49, 472, 483
 - in Europe, 52, 549-550, 554
 - in Latin America, 596, 598-599
 - observed changes, 81, 83, 89, 90
 - in polar regions, 655, 663-665
 - projected changes, 36, 280, 792
 - relation to temperature rise, 90
- Rural settlements**
 - adaptive capacity, 383
 - agriculture, 282
 - development, 492
 - human health, 413
 - in North America, 625
 - rural-urban migration, 491-492
- Russia–East of the Urals**
 - glacial melt impacts, 484
 - Lena delta, 496
 - permafrost degradation, 487
- See also* Asia
- S**
- Salinisation*, 35, 186, 189**
 - in coastal regions, 35, 179, 599
 - of groundwater, 35, 175, 179, 189, 483, 693
 - of inland waters, 553, 558
 - secondary, 189
- Salmon, 192-193, 275, 291, 624**
- Salmonella, 487**
 - See also* Food poisoning
- Salmonellosis, 108, 400, 557, 701**
- Salps, 56, 88, 660, 675**
- Saltmarshes, 317, 329**
 - biodiversity in, 630
 - in United States, 619, 623, 630
- Saltwater intrusion/encroachment*, 35, 175, 179, 186, 189**
 - adaptation, 722
 - in Asia, 49, 471, 477, 483
 - in Australia/New Zealand region, 512, 517
 - projected impacts and interactions, 375
 - See also* Freshwater resources and management; Groundwater
- Sanitation and urban drainage, 371**
 - See also* Wastewater
- Savannas*, 214, 224-226**
 - in Africa, 451
 - forest replacement by, 583, 596
 - in Latin America, 596
 - See also* Grasslands; Rangelands
- Scale, 359, 360, 366**
 - of adaptation and mitigation, 749
 - ecosystem responses, 214, 215, 547
 - human health, adaptation approaches, 416-417
 - Large Scale Biosphere-Atmosphere Experiment, 604
 - in mitigation, 747, 749, 753-754, 767-769
- Scenarios*, 31, 76, 77, 146-160**
 - adaptation, 156-158, 719, 724
 - analysis, 799-802
 - atmospheric composition, 152-153
 - baseline, 782
 - carbon dioxide concentration, 34-35
 - climate, 32-33, 148-152, 149-151, 155
 - climate change, global-scale impacts, 821-825
 - climate scenarios assumed in this report, 149-151
 - definition, 145
 - emissions, 155, 529, 758
 - extreme weather events, 148-152
 - geographical resolution, 135
 - global and aggregate impacts, 821-825
 - Global Scenarios Group set of, 364
 - governance, 364
 - integration, 160
 - land use, 155-156
 - mitigation, 35, 139-141, 158-160, 799-803, 813, 830-831
 - non-climate, 34-35
 - overshoot, 801-802, 804
 - sea-level, 153-154

- socio-economic, 154, 155
 stabilisation, 35, 71, 529, 758, 765, 799-802, 828
 statistical downscaling, 148
 "Techno Garden," 818
 technology, 156, 364
See also SRES scenarios
- Schistosomiasis**, 405, 487, 689, 701
- Sea grasses**, 328-330
- Sea ice**, 56, 655, 668-669, 734
 Antarctic, 658
 Arctic, 56, 655, 658, 659, 668
 ecosystem impacts of decrease in, 88, 213, 231, 236, 668-669
 observed changes, 28, 81, 83, 88, 657, 658, 659
 projected changes, 40, 236, 656, 659, 662, 792
- Sea-ice biome***, 56, 81, 231, 236, 655, 668-669, 792
- Sea-level rise***, 40, 41, 49
 adaptation, 798
 adaptation costs and benefits, 345, 435, 724-725
 adaptation examples, 722
 adaptation limits, 734
 coastal area impacts, 40, 41, 49, 317, 322-324, 325, 326, 336, 339
 costs for developing vs. developed countries, 339, 339
 extreme water levels and, 93, 325
 geographic variability in, 484
 glacial melt and, 663
 ice sheet deglaciation and, 64, 75, 317, 346, 793, 793-794
 inertia of, 41, 317, 346
 long-term impacts (beyond 2100), 346
 observed changes, 92, 479 (*See also specific regions and countries*)
 projected changes, 40, 41 (*See also specific regions and countries*)
 projected impacts, 42, 51, 54, 346, 375, 484-485, 793, 828
 rapid, 734
 regional scenarios, 154, 346
 salt water intrusion and, 175, 186, 189
 scenarios, 35, 153-154, 154, 322-324, 346, 696
 storm surge scenarios/interactions, 154, 725
 timing and risk, 345, 798
 unavailability of, 41, 317
See also specific regions and countries
- Sea surface temperature (SST)**
 in Australia/New Zealand region, 510, 512, 522, 527
 coral bleaching and, 320, 321-322
 cyclones and, 479, 795
 marine ecosystems and, 236
 phytoplankton blooms and, 487
- Sea turtles**, 236, 449, 696
- Sea urchins**, 730
- Sea wall***, 343
- Seabirds**, 95-96, 521, 527, 696
- Seals**, 96, 236, 660, 668, 669, 671
- Seasonal climate forecasting**, 416, 721, 727-728
- Seasons.** *See* Phenology
- Sediment transport**, 179, 189-190, 320, 485
 dams and, 319, 326
 deltas and, 493
- Semi-arid regions***
 afforestation in, 758
 in Africa, 435, 439
 freshwater resources and management, 36, 175, 176, 193-194, 331
 replacement with arid vegetation, 54, 583
- Sensitivity***
 in Africa, 435, 436-443, 451
 in Asia, 472-478
 in Australia/New Zealand region, 510-514, 525
 coastal systems, 318-322
 ecosystems, 215-218
 energy production systems, 362
 in Europe, 544, 545-547
 food, fibre and forest products, 277-280
 freshwater resources, 176-180
 human health, 396-405
 industry, settlement and society, 361-363, 375
 in Latin America, 584-593
 in North America, 620-626, 627
 in polar regions, 656-661
 in small islands, 690-694
See also Climate sensitivity
- Sensitivity analysis**, 32, 145, 146
- Sequestration.** *See* Carbon sequestration
- Services**
 adaptation, 379-381
 ecosystem goods and services, 213, 215, 245-246
 future impacts and vulnerabilities, 367
- Settlement.** *See* Human settlements
See also Industry, settlement and society; Urban settlements
- Shellfish poisoning**, 400
See also Food poisoning
- Shrimp**, 669
- Shrublands**, 238, 552-553, 565
- Silviculture*.** *See* Forestry
- Sinks*.** *See* Carbon sinks
- Ski industry**, 28, 557, 558, 561, 634, 636, 734, 790
 adaptation, 492, 721
 in Asia, 489
 effects of decreased snow, 86
 snow-making, 557, 719, 721, 734
See also Europe, European Alps
- Skin cancer**, 601
- Small islands**, 57-58, 63, 687-716
 adaptation, 694, 703-709, 728
 adaptive capacity, 706-709
 agriculture, fisheries and food security, 57-58, 689, 698-700
 assumptions about future trends, 694-695
 atolls, 40, 697-698, 705, 707
 biodiversity, 58, 689, 700
 capacity building, 708-709, 710
 characteristics of, 57, 690-691
 climate and weather, 691-692, 694
 coastal systems and resources, 690, 693, 697-698

- coral reefs, 57-58, 330, 699
- current sensitivity/vulnerability, 690-694
- drivers of change, 704
- economic, financial and socio-cultural impacts, 57, 695, 698, 701-702
- ecosystems, 693, 696, 706
- El Niño Southern Oscillation (ENSO), 689, 690, 691, 692
- emigration and resettlement, 697, 708
- energy, 702
- extreme events, 695
- future impacts and vulnerabilities, 57-58, 63, 689, 695-703, 696, 704, 788, 791-792, 829
- globalisation, 693, 707
- human health, 58, 689-690, 701
- human settlement, 689, 690, 693, 695, 700-701
- infrastructure and transportation, 57, 689, 690, 702-703
- interactions of human and physical stresses, 693
- introduction, 690
- market impacts, 791
- migration, 697, 708, 736
- non-climate-change threats, 699
- observed changes, 92, 93, 689, 691-692
- precipitation, 151, 691-692, 694, 695-697
- resilience in, 698
- risk-sharing and insurance, 690, 707
- salinisation of groundwater, 186, 189
- sea level/sea-level rise, 57, 317, 689, 692, 694, 696, 705-706
- socio-economic stresses, 692-693
- sub-Antarctic islands, 672
- sustainable development, 709-711, 791-792
- temperature, 150, 691, 694
- tourism, 58, 689, 690, 698, 701-702
- traditional knowledge and culture, 690, 695, 728
- tropical and extra-tropical cyclones, 689, 691-692, 695, 700
- uncertainties and research priorities, 711-712
- vulnerability/risk, 40, 57, 58, 74, 695-703, 788, 791-792
- water resources, 57, 689, 693, 695-697, 703-705
- See also* Caribbean region; Fiji; Mediterranean islands
- Snow cover**, 28
 - albedo and, 231
 - in Asia, 484
 - in Europe, 544, 551, 558, 565
 - on Mt. Kilimanjaro, 48, 440
 - observed changes, 28, 83, 86, 88, 115, 177
 - projected changes, 662-663
 - See also* Snowpack
- Snow water equivalent***, 621
- Snowmelt**, 83, 187, 193-194, 627
- Snowpack***, 39, 55, 99
 - in Europe, 551
 - in North America, 55, 619, 623, 624, 627, 628
 - See also* Snow cover
- Social capital**, 453, 492, 816
- Social cost of carbon (SCC)***, 65, 756, 771, 813, 821-824
- Social cost of methane**, 822
- Social issues**
 - adaptation, 382-383, 729, 736-737
 - future impacts and vulnerabilities, 373-374
- Social systems**
 - adaptive capacity, 782, 798, 804
 - key vulnerabilities, 74, 787, 790-791
- Socio-economic factors**, 26-28, 84-85
 - in Asia, 474
 - in North America, 627
- Socio-economic impacts**, 41-43, 46-47
 - in Africa, 48-49, 297, 444
 - in Asia, 50, 479, 487-489
 - in Australia/New Zealand region, 521-522
 - coastal systems, 317, 322, 323, 330-339, 331
 - in Europe, 52-53, 543-544, 545, 548
 - food, fibre and forest products, 291, 296-299
 - forestry, 291, 297
 - freshwater resources/management, 190-196
 - human health and, 394
 - industry, settlement and society, 362, 373-374, 376-379
 - in Latin America, 590-591
 - methods and tools for characterising, 337
 - net negative impact of climate change, 338-339
 - in North America, 55, 632-635
 - observed changes, 82, 84-85, 111-112
 - in polar regions, 56, 655, 657, 661, 665-666, 668, 676
 - in small islands, 57, 58, 695, 698, 701-702
 - See also specific systems and regions*
- Socio-economic scenarios***, 154, 155
- Soil**
 - carbon stocks, 221
 - erosion, 179, 189-190, 558
 - nitrogen, 221
 - water balance/moisture, 50, 225
- Solar resources**, 634
- Sorghum**, 49, 288, 295, 452, 482, 555
- South America**. *See* Latin America
- South Atlantic Convergence Zone (SACZ)**, 584
- South-east Asia**. *See* Asia
- South Pacific Convergence Zone (SPCZ)**, 691
- Southern Annular Mode**, 675, 794
 - See also* Modes of climate variability
- Southern Ocean**
 - carbon flux, 662
 - ecosystems, 244, 669-671
 - projected circulation changes, 521
 - vulnerabilities, 234
 - warming, observed, 95-96
 - See also* Polar regions
- Southern Oscillation**. *See* El Niño Southern Oscillation
- Soybeans**, 54, 106, 583, 590, 607
- Spatial analysis**, 29
- Spatially-explicit methods**, 824-825, 836
- Sphagnum moss**, 660
- Springtails (Collembola spp.)**, 103
- Spruce budworm**, 218, 623
- SRES scenarios***, 32, 147, 147
 - carbon dioxide stabilisation, 159
 - climate scenarios assumed in this report, 149-151

- climate variability/extremes, 152
downscaling methods, 135
food demand and supply, 38, 284
global economic growth projections, 364
global storylines and scenarios, 147
land-use and land-cover, 157
nutrition/hunger, 275, 298, 299, 300
sea-level, 153, 694, 696
socio-economic characterisations, 155
terrestrial ecosystem changes by 2100, 213, 238
tourism, 369
water stress, 36
See also Scenarios
- Stabilisation scenarios**, 35, 71, 529, 758, 765, 799-802, 828
- Stakeholders***, 31, 747, 753-754, 770
assessment inputs, 31-32, 135, 141-142
participation ladder, 142
vulnerability assessment and, 782
- Stegomyia aegypti* (formerly *Aedes aegypti*)**, 403-404, 524
- Stochastic modelling**, 337
- Stock**. *See* Carbon stocks
- Storm surges**, 317, 319-320, 334, 398
adaptation, 722, 724
in Europe, 550-551
in Latin America, 586
in North America, 55, 630
observed changes, 92-93
projected impacts and interactions, 375, 725, 795
scenarios, 154
in small islands, 57, 695
See also Extra-tropical cyclones; Hurricanes; Tropical cyclones; Waves
- Storylines**, 32, 145, 146, 147
- Stratosphere***, 600-601
- Streamflow***, 175, 176, 179, 189
in Africa, 446
in North America, 621-622
observed changes, 89, 114, 177
projections, 36, 185, 193-194
- Sturgeon**, 275, 291
- Sub-alpine* regions**
forests, 232, 620, 624
lakes, 91
vegetation and mammals, 512
- Sub-Antarctic islands**, 50, 672
See also Small islands
- Sub-arctic regions**
in Europe, 543, 551-552, 559, 565
productivity, 659
- Sub-tropical regions**
ecosystems, 213-214, 229, 236
human health, 689, 701
See also Tropical regions
- Subsistence livelihoods**, 43, 49, 248-249, 275, 279, 281-282, 293-294, 657
- Succulents***, 223, 243, 449, 792
- Sulfur dioxide**, 153
- Surface air temperature**
in Asian regions, 480
in polar regions, 230, 656-657
in small islands, 694
- Surface runoff***, 90
See also Runoff
- Surprises, ecological**, 38, 242
- Sustainable development***, 55, 75-76, 384, 811-841
adaptation and development communities, bringing together, 76, 834-836
adaptation and mitigation links, 747, 751, 765-766, 827-832
adaptive capacity and, 76, 817-819
in Africa, 457
in Asia, 494-495
in Australia/New Zealand region, 528-529
barriers to, 299
coastal systems, 345
definition, 494, 814
ecosystems, 248-249
environmental quality, 819-820, 835
equity issues, 813, 826-827, 835
in Europe, 546-547, 563-564
food, fibre, forestry and fisheries, 276, 299
freshwater resources, 36, 200-201
global and aggregate impacts, 821-825
indigenous knowledge and, 832, 833
industry, settlement and society, 380, 384
introduction, 814
in Latin America, 55, 299, 584, 606-607
linkages with climate change/adaptation, 817-819
multiple stresses and, 359, 384, 813, 816-819
in North America, 639
opportunities, co-benefits and challenges for adaptation, 832-836
overview schematic, 815
participatory processes, 813, 832-834
pillars of, 814, 815
in polar regions, 675-676
regional, sub-regional, local and sectoral development, 826-832
risk, hazard and disaster management and, 820-821
in small islands, 709-711, 791-792
supporting factors, 813, 816-817, 836
synergies in, 813, 827-832, 835, 836, 837
synthesis of new knowledge, 814-816
‘three pillars’ of, 766
thresholds, 361
uncertainties, unknowns and priorities for research, 78, 836-837
See also Development; Millennium Development Goals
- Switchgrass (*Panicum virgatum* L.)**, 288
- Synergies**, 72, 747, 754-756, 762-763, 813, 835
definition, 749
geographic distribution of, 827, 830-831
of mitigation and enhanced adaptive capacity, 72, 827-832, 837

Taiga*, 229, 230, 485

Tajikistan, hydropower generation, 483

Technology

access to, 441, 791, 813, 816, 826-827

adaptation and, 554-555, 727-728, 734

biotechnology, 296, 452, 555-556

limits, 734

scenarios, 156, 364

Temperature

adaptation examples, 721, 722

agricultural impacts, 275, 282-283, 284-285, 286, 287-288, 300, 301

alert plans/early warning systems, 53, 417, 491, 544, 563, 721

attribution of observed changes to, 81, 112-116

in Australia/New Zealand region, 509, 510-511

extreme events, 789, 795 (*See also* Heatwaves)

fisheries and, 291

impacts (*See* Temperature impacts)

observed changes correlated with, 85-112, 114-116 (*See also* Observed changes and responses)

observed changes in, 81, 115-116 (*See also specific regions and countries*)

projected impacts (*See* Temperature impacts)

reference for temperature levels, 783

regional changes in, attribution for, 112-113

relationship with vulnerability/risk, 787-789

sea surface (SST) (*See* Sea surface temperature)

surface air (*See* Surface air temperature)

thresholds, 802, 803

See also Heatwaves; Temperature impacts; Temperature projections; *specific regions and countries*

Temperature impacts, 31, 37, 42, 73

compendium of risks for additional degrees of warming, 37

damage estimates for additional degrees of warming, 822

global/aggregate impacts, 64, 66, 73, 821-825, 827, 828-829

key vulnerabilities exacerbated by, 73, 781, 786-797, 803-804

linking of observed effects with temperature, 29

potential vulnerabilities with additional degrees or warming, 787-789, 792, 804

projected global impacts with additional degrees of warming, 828-829

projected impacts of 2-3°C rise, 38, 65, 781, 792

projected impacts of 4°C rise, 65, 781, 822

regional impacts, 33, 67, 827, 829

See also Extreme weather events; Temperature

Temperature projections

carbon dioxide stabilisation and, 158-159

global, by 2080, 824

global damage estimates, 822

global, mean change above 1990-2000 levels, 781, 783, 792, 804

impacts of delay in addressing, 782, 802, 804

overshoot scenarios, 801-802, 804

probability of exceeding 2°C above pre-industrial level, 801

regional, summarised, 33, 149-150

Terrestrial ecosystems, 38

adaptive capacity, 658-660

carbon exchange, 38, 222, 792

as carbon source in future, 38, 213, 222, 792

climate-linked extinctions and invasions, 103

in coastal areas, 319-320

morphology/reproduction changes, 103

observed changes, 28-31, 81, 98-104, 115-116

phenology, 28, 99-101

in polar regions, 655, 656, 658-660, 666-668

projected changes, 38, 213, 238, 792

species community changes, 103-104

species distribution/abundance, 101-103

species evolutionary processes, 104

vulnerability/risk, 74, 788

Thailand, flooding in, 484

Thermal expansion*, 41, 318, 324, 346, 484

See also Lakes

Thermal stratification, 81, 91, 234, 235

See also Lakes

Thermal stress. *See* Heat stress

Thermocline*, 91, 553

See also Thermal stratification

Thermohaline circulation (THC; also called Meridional

Overtaking Circulation)*, 275, 292, 563, 655, 664

impacts of potential changes in, 64, 563, 794, 802-803

observed condition of, 88

vulnerability/risk, 74, 789, 794, 802

Thermokarst*, 88, 89, 231, 486

Thresholds*, 78, 141, 359, 361, 365

adaptation limits, 733-734

climate, 781, 784-785, 802-803

coastal systems, 320, 321-322

coral bleaching, 321-322

crop responses, 277

dangerous anthropogenic interference (DAI), 801-802

ecosystems, 215

ice sheet deglaciation, 73, 793, 797, 800

temperature, 802

Tibetan Plateau, 106, 472, 724

glaciers, 477, 481, 487, 493, 494

vegetation changes, 486

See also Asia

Tick-borne diseases, 108, 403, 557, 619, 620, 671

Lyme disease, 557, 619, 625, 632

tick-borne encephalitis (TBE), 108, 403, 410, 487, 671

Ticks

in Australia/New Zealand region, 283, 520

cattle tick (*Boophilus microplus*), 283, 520

in Europe, 403, 410, 557

Ixodes scapularis, 625, 632

in North America, 620, 632

Timber industry. *See* Forestry

Timor Lest (East Timor), 706

Tolerable Windows Approach (TWA), 754-755, 802

Top-down assessment approaches, 136, 748-749

Top-down risk reduction approach, 820

Tourism

- adaptation, 380
 in Africa, 435, 439, 449, 450, 459
 in Asia, 489, 492
 in Australia/New Zealand region, 523, 527, 529
 coastal area impacts, 320, 335-336
 direct and indirect effects, 368-369
 in Europe, 53, 336, 543-544, 556-557, 561, 565
 future impacts and vulnerabilities, 362, 368-369, 790
 infrastructures to protect tourists, 492
 in Latin America, 587, 599
 in North America, 626, 634
 observed changes, 111
 in polar regions, 673, 676
 sensitivity to climate effects, 363
 in small islands, 58, 689, 690, 698, 701-702
 vulnerability/risk, 362, 368-369, 790
See also Recreation
- Toxic algal blooms.** *See* Harmful algal blooms (HABs)
- Trade**
 adaptation, 379, 730
 agreements, 731
 food, fibre and forest products, 40, 276, 284, 297, 300
 future impacts and vulnerabilities, 367-368
 international, climate change effects on, 368
See also Globalisation
- Trade-offs**, 72, 747, 749, 751, 754-756, 762, 771
 in coastal systems, 342-344, 795
- Traditional ecological knowledge**, 456-457, 523, 605, 666, 673-674, 833
- Transpiration***, 220
See also Evapotranspiration
- Transportation**
 adaptation costs and benefits, 725, 726
 in Europe, 556, 561, 565
 extreme weather events and, 362, 366
 future impacts and vulnerabilities, 368
 linkage systems, 362
 in North America, 627, 628, 630, 635, 636
 in polar regions, 88, 676
 in small islands, 689, 702-703
See also Infrastructure
- Tree line***, 229, 232, 233, 546, 551, 565
 polar and altitudinal changes, 666
 in polar regions, 655, 666
- Trophic level***, 96-97
- Trophic relationships***, 56, 667
- Tropical cyclones**, 317, 338
 in Africa, 444
 in Asia, 473, 476, 479, 489
 in Australia/New Zealand region, 511
 cost of damage, Asia, 489
 deaths, worldwide, 40, 338
 observed changes, 110
 projected impacts/vulnerabilities, 42, 74, 317, 375, 781, 789, 795
 range of impacts, 338
 in small islands, 689, 691-692, 695, 700
 wind speed projections, 695
See also Extra-tropical cyclones; Hurricanes
- Tropical forests**, 54, 106, 220-221, 584, 596
 deforestation, 53, 583, 594-595
 replacement by savanna, 583, 596
- Tropical regions**
 fires in, 218
 forest replacement by savanna, 583, 596
See also specific regions and countries
- Troposphere*, ozone in**, 153, 480
- Trout**, 291, 665
See also Fisheries
- Trypanosomiasis**, 447
- Tsetse fly**, 447
- Tsho Rolpa project, Nepal**, 719, 721, 723
See also Adaptation
- Tsunamis***, 319-320
- Tularemia**, 671
- Tuna**, 292, 482, 700
- Tundra***, 38, 214, 230-232, 485, 666-668
 adaptation limits/limitations, 52, 543
 “greening” trend, 88
 projected changes, 52, 792
See also Permafrost; Polar regions
- Typhoid**, 398, 701
- U**
- Ultraviolet (UV)-B radiation**, 234, 278, 405, 558, 600-601
- Uncertainty***, 27, 143-144, 799
 adaptation procedures planned for, 201-202
 in future projections, 378
 managing, 141
 multiple stresses/factors and, 783
See also Risk; specific systems and regions
- Undernutrition***, 38, 394, 399-400, 438
See also Hunger; Malnutrition
- Ungulates***, 226
- Unique and threatened systems**, 73, 795-796
- United Kingdom (UK)**
 adaptation, 381, 722, 724, 820
 adaptation/mitigation inter-relationships, 769-770
 Climate Change Programme, 769-770
 coastal retreat, 92
 energy use/demand, 111
 fires, 107
 flood defences, 65, 381, 722
 forage quality, 287
 human health, 395, 409-412
 marine ecosystems, 94
 opportunities from climate change, 381
 participatory processes, 834
 phenology, 100
 water supply/management, 199-200, 371
See also Europe
- United Nations Development Programme (UNDP)**, 732-733
- United Nations Framework Convention on Climate Change (UNFCCC)***, 383, 731, 748, 753, 766-767
 Article 2, 73, 766, 781, 782, 783, 784
 compliance with/governance of, 495

- Global Environmental Facility (GEF), 836
policy focus on adaptation, 817-818
- United States**
adaptation, 633, 722, 815, 820
agriculture, 623-624, 631
cities, climate change impacts in, 633
coastal areas, 92, 622-623, 719
Colorado River basin, 193-194, 197, 627, 634
Columbia River basin, 627, 628, 633, 818-819
costs of weather-related disasters, 332, 338, 369, 377, 621, 626
Deer Island sewage facility, 724
ecosystem impacts, 242-245
energy, 626, 634-2527, 760
fisheries, 281
forestry, 624, 630
freshwater resources, 621-622, 627-629
heatwaves, 111, 411
human health, 372, 625
hurricanes, 92, 369, 399, 621, 625-626, 627 (*See also* Hurricanes, Hurricane Katrina)
Mississippi River/delta, 326, 332, 333, 377
net primary production (NPP), 622
phenology, 100, 283, 622
precipitation, 621-622
protectorates (*See* Small islands)
storm surges, 92-93
temperature, 620, 621
tourism and recreation, 336, 626, 634
transportation, 366
See also North America
- Upwelling region***, 91, 96, 235
- Urban heat islands.** *See* Heat islands
- Urban planning**, 761
- Urban settlements**
future impacts, 372
high-risk areas, 361
sanitation and drainage, 371
summary of indicators, 363
See also Construction; Human settlements; Industry, settlement and society; Infrastructure
- Urbanisation***, 359
in Asia, 488-489, 491, 494-495
in Europe, 549, 550
human health and, 412-413
in Latin America, 587, 590
- Utilities**, 370, 381
- V**
- Vagile* animals**, 237
- Valley Fever**, 625
- Vascular plants***, 667
See also Vegetation
- Vector(s)***, 82, 108, 393, 400, 403, 418, 435, 599
changes in transmission seasons/areal range, 31, 43, 50, 403-405, 471, 487
possible pesticide resistance, 487
- Vector-borne diseases***, 372, 394, 403-405, 418, 555
in Asia, 50, 471, 472, 487
in Europe, 51, 543, 557
in North America, 619, 620, 625, 632
observed changes, 108, 403-405
See also Diseases; *specific diseases*
- Vegetation**
Arctic region, current and projected, 57
carbon dioxide effects on, 220, 276, 282-283, 285-287, 290, 300
Dynamic Global Vegetation Models (DGVMs), 219, 220, 222
herbaceous vs. woody growth, 225-226, 552
poleward/altitudinal shift in ranges of, 57, 83, 102-103, 659
See also Ecosystems; *specific systems and regions*
- Vernalisation***. *See* Phenology
- Vibrio cholerae**, 401
- Vibrio parahaemolyticus**, 400
- Vibrio vulnificus**, 400
- Vietnam**, 473, 484
See also Mekong River/delta
- Visceral leishmaniasis**, 403, 557, 587
- Vulnerabilities***, 73-75, 117, 138-139
in Africa, 40, 48, 48-49, 64, 280, 435, 436-443, 444-450, 451, 788, 791
in Asia, 64, 472-478, 479-489
assessment of (*See* Vulnerability assessment)
in Australia/New Zealand region, 50-51, 242-245, 509, 510-514, 516-524, 525, 528, 529, 530
coastal systems, 40-41, 317, 318-322, 324-336
context/scale and, 43, 138-139, 359, 360, 366
definition, 27, 138, 781, 782
distribution, variations in, 781, 784, 796
ecosystems, 213-214, 219-245
in Europe, 545-547, 549-558, 565-566
food, fibre and forest products, 74, 277-280, 282-294, 297-299
freshwater resources, 176-180, 182-190, 193-194, 233-234
global distribution in 2050, 77, 830
global distribution in 2100, 831
globalisation and, 731
hotspots (*See* Vulnerability hotspots)
human health, 396-405, 406-415
industry, settlement and society, 41, 359, 361-363, 364-376
'key' vulnerabilities, 73-75, 781, 783-797 (*See also* Vulnerability assessment)
in Latin America, 53-54, 584-593, 596-600
multiple stresses and, 75, 813
national vulnerability index, 827, 830-831
in North America, 242-245, 619, 620-626, 627-635
perceptions of, 735-736
in polar regions, 64, 230, 658-661, 663-672
in small islands, 57, 58, 64, 74, 689, 690-694, 695-703, 696
of special populations, 43, 64, 78, 393, 399, 557, 791, 796
See also Coping ranges; Risk; *specific systems and countries*
- Vulnerability assessment**, 64, 73-75, 138-139, **779-810**
as bottom-up approach, 136

characteristics summarised, 137
 critical levels and thresholds, 784-785
 dangerous anthropogenic interference (DAI), 73, 781, 782, 784, 798, 799, 801-802, 804
 distribution and aggregation of impacts, 75, 781, 784, 786, 796-797
 equity issues, 784, 786
 extreme events, 64, 68, 73-74, 781, 789, 795, 796
 geophysical systems, 74, 782, 789, 792-795
 global biological systems, 74, 782, 788-789, 792
 global social systems, 74, 782, 787, 790-791
 introduction, 782-785
 key vulnerabilities, 73-75, 783-784, 786-797
 key vulnerability criteria, 73, 781, 785-787
 methods, 798-804
 mitigation strategies, 798-803
 'reasons for concern' update, 73-76, 781, 795-797, 800
 regional systems, 74, 788, 791-792
 research needs, 804
 response strategies, 781-782, 797-804
 scenario analysis, 799-802
 scientific assessment and value judgments, 784, 786, 799
 stabilisation targets, 799-802
 synthesis, 803-804
 uncertainties in, 782, 799
 UNFCCC Article 2, 781, 783, 784
See also CCAV assessment

Vulnerability hotspots

in Africa, 438
 Amazonia, 604
 in Asia, 481
 in Australia/New Zealand region, 51, 509, 529, 530
 in coastal systems, 40, 41, 317, 327, 336, 337
 in Latin America, 604, 606
 megadeltas, 41, 64, 377

W

Walrus (*Odobenus rosmarus*), 669, 792

Warming. *See* Global warming

Wastewater

management, Australia/New Zealand region, 517
 re-use for irrigation, 418, 491
 sanitation and urban drainage, 371
 use, 181-182, 189, 490-491

Water

chemistry, 89, 91, 658
 groundwater (*See* Groundwater)
 water-climate interface, 201-202
See also Freshwater resources and management;
 Hydrological systems

Water-borne diseases, 178-179, 189, 400-401

in Asia, 50, 471, 487
 in Australia/New Zealand region, 524
 in Latin America, 599
 in North America, 625
 observed changes, 108, 109
 in small islands, 701

Water consumption*, 179, 191, 200, 370

Water demand/use, 36, 175, 191-194, 196-200, 197, 816
 in Asia, 284, 481, 482, 483-484
 in Australia/New Zealand region, 511-512, 528
 in Europe, 550

Water pollution, 36, 175, 182, 188-189

Water productivity*, 192, 194

Water quality, 178-179, 188-189, 791

in Africa, 441-442
 in Asia, 483, 487
 in Australia/New Zealand region, 517, 525
 in Europe, 545, 549-550, 557
 human health and, 400-401, 413, 487
 in lakes, 233
 in North America, 629
 in small islands, 693, 703-705

Water resources

adaptation and mitigation decisions, 758-759
 adaptation costs and benefits, 300, 725, 726, 727
 in Africa, 48, 284, 370, 377, 435, 437, 441-442, 444-446, 451, 458-459
 in Asia, 49, 471, 471-472, 477, 481, 483-484, 490-491
 in Australia/New Zealand region, 50, 511-512, 514, 526, 528
 in Europe, 52, 545, 549-550
 infrastructure, 36, 175, 189, 191
 in Latin America, 586, 592-593, 597-599, 602, 605
 in North America, 55-56, 627-629, 633
 observed changes, 90-92
 projected changes, 35-37, 828
 in small islands, 57, 689, 693, 695-697, 703-705
 vulnerability/risk, 787, 791, 824
See also Freshwater resources and management;
 Groundwater; Runoff

Water stress*, 36, 179, 193-194, 284, 365, 791

in Africa, 48, 435, 437, 444, 445, 451
 in Asia, 471, 472, 484
 in Europe, 52, 543, 550, 552, 559, 565
 in Latin America, 54, 583, 597-598, 791
 projections, 795, 813, 825
 in small islands, 689, 697

Water supply

future impacts and vulnerabilities, 370-371, 726
 human health and, 401
 infrastructure, 36, 175, 189, 191
 regional planning, 382

Water use efficiency*, 283, 284, 331, 490-491

Waves, 93, 110, 317, 319

See also Storm surges

Weeds, 103, 283, 483, 520

Welfare*, 814, 821

coast impacts and, 40

West Nile virus, 619, 625

Wetlands*, 40, 233-234

in Africa, 449
 Arctic, 88, 655, 665
 in Asia, 471, 478, 485
 in Australia/New Zealand region, 509, 517, 530
 biodiversity, 234

- coastal, 40, 92, 93, 317, 328-330
- in Europe, 551, 553, 560, 565
- methane emissions from, 793
- in North America, 620, 630
- observed changes, 92
- tundra, 230-231
- wastewater re-use and, 491
- Whales**, 236, 669, 671
- Wheat**, 277, 452, 480
 - Fusarium* in, 586, 590
 - observed changes, 106
 - projected crop yields, 54, 297, 586
 - sensitivity to climate change, 39
 - temperature and, 39, 286
- Wildfires**. *See* Fires
- Wildlife ranges**, 83, 230-231, 622
 - See also* Range shifts of vegetation and wildlife
- Wind**
 - adaptation options, 70
 - flooding and, 398 (*See also* Storm surge)
 - resources, 634
 - speed, in tropical cyclones, 695
 - windstorms in Europe, 489, 547-548, 557
 - See also* Extra-tropical cyclones; Hurricanes; Tropical cyclones
- Wine production**, 104, 105, 624, 631, 731
- Women**. *See* Gender
- Woodlands**. *See* Forests
- World Bank, carbon offset funds**, 753
- World Trade Organization (WTO)**, 767
- Wyeomyia smithii*, 403
- Y**
- Yedoma***, 213, 214, 221, 231
- Yields**. *See* Crop yields
- Z**
- Zoonoses (zoonotic diseases)***, 625, 671
- Zooplankton***, 28, 56, 88, 94-96, 97, 556
 - See also* Algal blooms; Phytoplankton